

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687753035254

Generated Date | अनुबंध तिथि: 28-Jun-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2022/B/2702311](#)

Schedule Name | अनुसूची नाम: Schedule 1, Schedule 6, Schedule 10, Schedule 11, Schedule 12, Schedule 14

| Organisation Details संगठन विवरण | Buyer Details खरीदार विवरण |
|---|--|
| Type प्ररूप: Central PSU | Designation पद: Deputy Manager MM |
| Ministry मंत्रालय: Ministry of Coal | Contact No. संपर्क नंबर: 07116-247092- |
| Department विभाग: Materials Management | Email ID ईमेल आईडी: shshaik@coalindia.in |
| Organisation Name संगठन का नाम: Western Coalfields Ltd | GSTIN जीएसटीआईएन: 27AAACW1578L1ZW |
| Office Zone कार्यालय क्षेत्र: Western Coalfields Limited / Nagpur | Address पता: Regional Stores, WCL P.O. Umrer Project Dist. Nagpur M.S. Pin 441204, NAGPUR, MAHARASHTRA-441204, India |

| Financial Approval Detail वित्तीय स्वीकृति विवरण | Paying Authority Details भुगतान प्राधिकरण विवरण |
|---|---|
| IFD Concurrence आईएफडी सहमति: No | Role: PAO |
| Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: GM(MM) | Payment Mode भुगतान का तरीका: Offline |
| Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: CM(F) | Designation पद: Dy Manager Fin |
| | Email ID ईमेल आईडी: sprathi@westerncoal.gov.in |
| | GSTIN जीएसटीआईएन: 27AAACW1578L1ZW |
| | Address पता: WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India |

| Seller Details विक्रेता विवरण | |
|--|--|
| GeM Seller ID जेम विक्रेता आईडी: 8C20180000116259 | Company Name कंपनी का नाम: NBE MOTORS PRIVATE LIMITED |
| Contact No. संपर्क नंबर: 09824208104 | Email ID ईमेल आईडी: info@newbharat.com |
| Address पता: 1, TIRUPATI ESTATE, MILAN CINEMA ROAD, SARASPUR, AHMEDABAD, GUJARAT-380024, - | MII Status एमआईआई स्थिति: True |
| MSME verified एमएसएमई सत्यापित: Yes | MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-GJ-01-0009318 |
| MSE Social Category एमएसई सामाजिक श्रेणी: OBC | MSE Gender एमएसई लिंग श्रेणी: Male |
| GSTIN जीएसटीआईएन: 24AACCN2443H1ZS | |

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: NA

| Product Details उत्पाद विवरण | | Ordered Quantity आइटम विवरण | Unit इकाई | Unit Price (INR) इकाई मूल्य (INR) | Tax Bifurcation (INR) कर विभाजन (INR) | Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित) |
|--------------------------------|---|-------------------------------|-------------|-------------------------------------|---|---|
| # | Item Description आइटम विवरण | | | | | |
| 1 | Product Name उत्पाद का नाम: NORIX Copper IE3 Flange Mounting Induction Motor Brand ब्रांड: NORIX Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Induction Motor as per IS 12615, IS 325 (Q3) Model मॉडल: NORIX/5HP/4POLE HSN Code एचएसएन कोड: HSN not specified by seller | 2 | pieces | 26,342 | NA | 52,684 |
| 2 | Product Name उत्पाद का नाम: NORIX Copper IE3 Foot Mounting Induction Motor Brand ब्रांड: NORIX Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Induction Motor as per IS 12615, IS 325 (Q3) Model मॉडल: NORIX/100HP/4POLE HSN Code एचएसएन कोड: HSN not specified by seller | 4 | pieces | 410,000 | NA | 1,640,000 |
| | Product Name उत्पाद का नाम: NORIX Copper IE3 Foot Mounting Induction Motor | | | | | |

| | | | | | | |
|--|--|---|--------|---------|----|-----------|
| 3 | Brand ब्रांड : NORIX Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Induction Motor as per IS 12615, IS 325 (Q3) Model मॉडल : NORIX/50HP/4POLE HSN Code एचएसएन कोड : HSN not specified by seller | 5 | pieces | 201,000 | NA | 1,005,000 |
| 4 | Product Name उत्पाद का नाम : NORIX Copper IE3 Flange Mounting Induction Motor Brand ब्रांड : NORIX Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Induction Motor as per IS 12615, IS 325 (Q3) Model मॉडल : NORIX/12.5HP/4POLE HSN Code एचएसएन कोड : HSN not specified by seller | 1 | pieces | 69,690 | NA | 69,690 |
| 5 | Product Name उत्पाद का नाम : NORIX Copper IE3 Flange Mounting Induction Motor Brand ब्रांड : NORIX Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Induction Motor as per IS 12615, IS 325 (Q3) Model मॉडल : NORIX/10HP/4POLE HSN Code एचएसएन कोड : HSN not specified by seller | 1 | pieces | 35,700 | NA | 35,700 |
| 6 | Product Name उत्पाद का नाम : NORIX Copper IE3 Foot Mounting Induction Motor Brand ब्रांड : NORIX Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Induction Motor as per IS 12615, IS 325 (Q3) Model मॉडल : NORIX/10HP/2POLE HSN Code एचएसएन कोड : HSN not specified by seller | 4 | pieces | 57,000 | NA | 228,000 |
| Total Order Value कुल ऑर्डर मूल्य (in INR) | | | | | | 3,031,074 |

Consignee Detail | परेषिती विवरण

| S.No क्र.सं. | Consignee परेषिती | Item वस्तु | Lot No. लॉट नंबर | Quantity मात्रा | Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है | Delivery To Be Completed By वितरण पूरा कब तक करना है |
|----------------|---|--|--------------------|-------------------|---|--|
| 1 | Designation पद : - Email ID ईमेल आईडी : shailesh.nimbale@nic.in Contact संपर्क : 07239-241341- GSTIN जीएसटीआईएन : 27AAACW1578L1ZW Address पता : WCL Central Stores, Urjagram, Tadali- 442406, CHANDRAPUR, MAHARASHTRA-442406, India | NORIX Copper IE3 Foot Mounting Induction Motor | - | 4 | 28-Jun-2023 | 26-Oct-2023 |
| | | NORIX Copper IE3 Foot Mounting Induction Motor | - | 5 | 28-Jun-2023 | 26-Oct-2023 |
| | | NORIX Copper IE3 Flange Mounting Induction Motor | - | 1 | 28-Jun-2023 | 26-Oct-2023 |
| | | NORIX Copper IE3 Flange Mounting Induction Motor | - | 1 | 28-Jun-2023 | 26-Oct-2023 |
| | | NORIX Copper IE3 Foot Mounting Induction Motor | - | 4 | 28-Jun-2023 | 26-Oct-2023 |
| | | NORIX Copper IE3 Flange Mounting Induction Motor | - | 2 | 28-Jun-2023 | 26-Oct-2023 |

Product Specification for NORIX Copper IE3 Flange Mounting Induction Motor

| Specification विनिर्देश | Sub-Spec उप-विनिर्देश | Value मूल्य |
|-----------------------------|-------------------------------|---------------------|
| Certification and standards | Conformity to Indian standard | IS12615:2011 |
| | Certification | CE,BIS |
| | Conformity to Design standard | IEC 60034,IEC 60072 |
| | Case Design | Squirrel Cage |

| | | |
|---------------------------|----------------------|---------------------|
| General Specification | Frequency | 50 Hertz (+/- 5%) |
| | Frame Size | 112 millimeter |
| | Winding | Copper |
| | Body Material | Cast Iron |
| | Weight | 58 kilogram |
| | Protection Class | IP55 |
| | Rated Voltage | 415 Volts (+/- 10%) |
| | Mounting | Flange Mounting |
| | Enclosure | TEFC |
| | Phase | Three Phase |
| | Pole | 4 |
| | Rated Power Capacity | 5 horsepower |
| | Speed in RPM | 1500 |
| | Rated Power | 3.7 kiloWatt |
| | Insulation Class | F Class |
| | Efficiency Class | IE3 |
| Max Operating Temperature | 50 degree Celsius | |
| Dimensions | Height | 410 millimeter |
| | Shaft Diameter | 28 millimeter |
| | Width | 410 millimeter |
| | Length | 550 millimeter |
| Warranty | Warranty | 1 year |

Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए NORIX Copper IE3 Flange Mounting Induction Motor

| Specification विनिर्देश | Value मूल्य |
|---|---------------|
| Duty- Continuous Duty (S1) ; Ambient temperature - 50 Degree Centigrade ; Temp. Rise class - "B" class;Mounting: Flange Cum Foot mounting; | Yes |
| Direction of rotation - Bi-directional ; Shaft Extension - Standard ; Starting Torque - 120% of the starting torque ; No. of Hot starts/hr- 2 | Yes |
| No. of Earth Points - Two (Minimum) ; Cable entry - Suitable for PWA mining cable of required size ; Terminals - All windings leads shall be terminated in terminal box | Yes |
| Type of coupling - Direct Flexible Coupling ; Name Plate - Non fading type, properly secured till the life of motor ; Information on Nameplate - As per per IS/IEC 60034-1 the nameplate shall also carry the bearing details | Yes |
| Compliance of standards - IS12615:2011, IS 12615-2018, IS/IEC 60034-30, IS/IEC 60034-1 relevant standards, with latest amendments, if any | Yes |

Product Specification for NORIX Copper IE3 Foot Mounting Induction Motor

| Specification विनिर्देश | Sub-Spec उप-विनिर्देश | Value मूल्य |
|-----------------------------|-------------------------------|---------------------|
| Certification and standards | Conformity to Indian standard | IS12615:2011 |
| | Certification | CE,BIS |
| | Conformity to Design standard | IEC 60034,IEC 60072 |
| General Specification | Case Design | Squirrel Cage |
| | Frequency | 50 Hertz (+/- 5%) |
| | Frame Size | 280 millimeter |
| | Winding | Copper |
| | Body Material | Cast Iron |
| | Weight | 550 kilogram |
| | Protection Class | IP55 |
| | Rated Voltage | 415 Volts (+/- 10%) |
| | Mounting | Foot Mounting |
| Enclosure | TEFC | |

| | | |
|------------|---------------------------|-------------------|
| | Phase | Three Phase |
| | Pole | 4 |
| | Rated Power Capacity | 100 horsepower |
| | Speed in RPM | 1500 |
| | Rated Power | 75 kiloWatt |
| | Insulation Class | F Class |
| | Efficiency Class | IE3 |
| | Max Operating Temperature | 50 degree Celsius |
| Dimensions | Height | 740 millimeter |
| | Shaft Diameter | 65 millimeter |
| | Width | 800 millimeter |
| | Length | 1230 millimeter |
| Warranty | Warranty | 1 year |

Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए NORIX Copper IE3 Foot Mounting Induction Motor

| Specification विनिर्देश | Value मूल्य |
|---|---------------|
| Duty- Continuous Duty (S1) ; Ambient temperature - 50 Degree Centigrade ; Temp. Rise class - "B" class | Yes |
| Direction of rotation - Bi-directional ; Shaft Extension - Standard ; Starting Torque - 120% of the starting torque ; No. of Hot starts/hr- 2 | Yes |
| No. of Earth Points - Two (Minimum) ; Cable entry - Suitable for PWA mining cable of required size ; Terminals - All windings leads shall be terminated in terminal box | Yes |
| Type of coupling - Direct Flexible Coupling ; Name Plate - Non fading type, properly secured till the life of motor ; Information on Nameplate - As per per IS/IEC 60034-1 the nameplate shall also carry the bearing details | Yes |
| Compliance of standards - IS12615:2011, IS 12615-2018, IS/IEC 60034-30, IS/IEC 60034-1 relevant standards, with latest amendments, if any | Yes |

Product Specification for NORIX Copper IE3 Foot Mounting Induction Motor

| Specification विनिर्देश | Sub-Spec उप-विनिर्देश | Value मूल्य |
|-----------------------------|-------------------------------|---------------------|
| Certification and standards | Conformity to Indian standard | IS12615:2011 |
| | Certification | CE,BIS |
| | Conformity to Design standard | IEC 60034,IEC 60072 |
| General Specification | Case Design | Squirrel Cage |
| | Frequency | 50 Hertz (+/- 5%) |
| | Frame Size | 225 millimeter |
| | Winding | Copper |
| | Body Material | Cast Iron |
| | Weight | 365 kilogram |
| | Protection Class | IP55 |
| | Rated Voltage | 415 Volts (+/- 10%) |
| | Mounting | Foot Mounting |
| | Enclosure | TEFC |
| | Phase | Three Phase |
| | Pole | 4 |
| | Rated Power Capacity | 50 horsepower |
| | Speed in RPM | 1500 |
| | Rated Power | 37 kiloWatt |
| | Insulation Class | F Class |
| | Efficiency Class | IE3 |
| Max Operating Temperature | 50 degree Celsius | |
| | Height | 600 millimeter |
| | Shaft Diameter | 60 millimeter |

| | | |
|---|--------------------------------|----------------------|
| Dimensions | Width | 730 millimeter |
| | Length | 970 millimeter |
| Warranty | Warranty | 1 year |
| Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए NORIX Copper IE3 Foot Mounting Induction Motor | | |
| Specification विनिर्देश | | Value मूल्य |
| Duty- Continuous Duty (S1) ; Ambient temperature - 50 Degree Centigrade ; Temp. Rise class - "B" class | | Yes |
| Direction of rotation - Bi-directional ; Shaft Extension - Standard ; Starting Torque - 120% of the starting torque ; No. of Hot starts/hr- 2 | | Yes |
| No. of Earth Points - Two (Minimum) ; Cable entry - Suitable for PWA mining cable of required size ; Terminals - All windings leads shall be terminated in terminal box | | Yes |
| Type of coupling - Direct Flexible Coupling ; Name Plate - Non fading type, properly secured till the life of motor ; Information on Nameplate - As per per IS/IEC 60034-1 the nameplate shall also carry the bearing details | | Yes |
| Compliance of standards - IS12615:2011, IS 12615-2018, IS/IEC 60034-30, IS/IEC 60034-1 relevant standards, with latest amendments, if any | | Yes |
| Product Specification for NORIX Copper IE3 Flange Mounting Induction Motor | | |
| Specification विनिर्देश | Sub-Spec उप-विनिर्देश | Value मूल्य |
| Certification and standards | Conformity to Indian standard | IS12615:2011 |
| | Certification | CE,BIS |
| | Conformity to Design standard | IEC 60034,IEC 60072 |
| General Specification | Case Design | Squirrel Cage |
| | Frequency | 50 Hertz (+/- 5%) |
| | Frame Size | 160 millimeter |
| | Winding | Copper |
| | Body Material | Cast Iron |
| | Weight | 140 kilogram |
| | Protection Class | IP55 |
| | Rated Voltage | 415 Volts (+/- 10%) |
| | Mounting | Flange Mounting |
| | Enclosure | TEFC |
| | Phase | Three Phase |
| | Pole | 4 |
| | Rated Power Capacity | 12.5 horsepower |
| | Speed in RPM | 1500 |
| | Rated Power | 9.3 kiloWatt |
| Dimensions | Height | 470 millimeter |
| | Shaft Diameter | 42 millimeter |
| | Width | 580 millimeter |
| | Length | 800 millimeter |
| Warranty | Warranty | 1 year |
| Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए NORIX Copper IE3 Flange Mounting Induction Motor | | |
| Specification विनिर्देश | | Value मूल्य |
| Duty- Continuous Duty (S1) ; Ambient temperature - 50 Degree Centigrade ; Temp. Rise class - "B" class;Mounting: Flange Cum Foot mounting | | Yes |
| Direction of rotation - Bi-directional ; Shaft Extension - Standard ; Starting Torque - 120% of the starting torque ; No. of Hot starts/hr- 2 | | Yes |
| No. of Earth Points - Two (Minimum) ; Cable entry - Suitable for PWA mining cable of required size ; Terminals - All windings leads shall be terminated in terminal box | | Yes |

| Type of coupling - Direct Flexible Coupling ; Name Plate - Non fading type, properly secured till the life of motor ; Information on Nameplate - As per per IS/IEC 60034-1 the nameplate shall also carry the bearing details | Yes | |
|---|-------------------------------|---------------------|
| Compliance of standards - IS12615:2011, IS 12615-2018, IS/IEC 60034-30, IS/IEC 60034-1 relevant standards, with latest amendments, if any | Yes | |
| Product Specification for NORIX Copper IE3 Flange Mounting Induction Motor | | |
| Specification विनिर्देश | Sub-Spec उप-विनिर्देश | Value मूल्य |
| Certification and standards | Conformity to Indian standard | IS12615:2011 |
| | Certification | CE,BIS |
| | Conformity to Design standard | IEC 60034,IEC 60072 |
| General Specification | Case Design | Squirrel Cage |
| | Frequency | 50 Hertz (+/- 5%) |
| | Frame Size | 132 millimeter |
| | Winding | Copper |
| | Body Material | Cast Iron |
| | Weight | 85 kilogram |
| | Protection Class | IP55 |
| | Rated Voltage | 415 Volts (+/- 10%) |
| | Mounting | Flange Mounting |
| | Enclosure | TEFC |
| | Phase | Three Phase |
| | Pole | 4 |
| | Rated Power Capacity | 10 horsepower |
| | Speed in RPM | 1500 |
| | Rated Power | 7.5 kiloWatt |
| | Insulation Class | F Class |
| Efficiency Class | IE3 | |
| Max Operating Temperature | 50 degree Celsius | |
| Dimensions | Height | 430 millimeter |
| | Shaft Diameter | 38 millimeter |
| | Width | 500 millimeter |
| | Length | 650 millimeter |
| Warranty | Warranty | 1 year |
| Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए NORIX Copper IE3 Flange Mounting Induction Motor | | |
| Specification विनिर्देश | Value मूल्य | |
| Duty- Continuous Duty (S1) ; Ambient temperature - 50 Degree Centigrade ; Temp. Rise class - "B" class;Mounting: Flange Cum Foot mounting | Yes | |
| Direction of rotation - Bi-directional ; Shaft Extension - Standard ; Starting Torque - 120% of the starting torque ; No. of Hot starts/hr- 2 | Yes | |
| No. of Earth Points - Two (Minimum) ; Cable entry - Suitable for PWA mining cable of required size ; Terminals - All windings leads shall be terminated in terminal box | Yes | |
| Type of coupling - Direct Flexible Coupling ; Name Plate - Non fading type, properly secured till the life of motor ; Information on Nameplate - As per per IS/IEC 60034-1 the nameplate shall also carry the bearing details | Yes | |
| Compliance of standards - IS12615:2011, IS 12615-2018, IS/IEC 60034-30, IS/IEC 60034-1 relevant standards, with latest amendments, if any | Yes | |
| Product Specification for NORIX Copper IE3 Foot Mounting Induction Motor | | |
| Specification विनिर्देश | Sub-Spec उप-विनिर्देश | Value मूल्य |
| Certification and standards | Conformity to Indian standard | IS12615:2011 |
| | Certification | CE,BIS |
| | Conformity to Design standard | IEC 60034,IEC 60072 |
| | Case Design | Squirrel Cage |

| | | |
|---------------------------|----------------------|---------------------|
| General Specification | Frequency | 50 Hertz (+/- 5%) |
| | Frame Size | 132 millimeter |
| | Winding | Copper |
| | Body Material | Cast Iron |
| | Weight | 85 kilogram |
| | Protection Class | IP55 |
| | Rated Voltage | 415 Volts (+/- 10%) |
| | Mounting | Foot Mounting |
| | Enclosure | TEFC |
| | Phase | Three Phase |
| | Pole | 2 |
| | Rated Power Capacity | 10 horsepower |
| | Speed in RPM | 3000 |
| | Rated Power | 7.5 kiloWatt |
| | Insulation Class | F Class |
| Efficiency Class | IE3 | |
| Max Operating Temperature | 50 degree Celsius | |
| Dimensions | Height | 430 millimeter |
| | Shaft Diameter | 38 millimeter |
| | Width | 500 millimeter |
| | Length | 650 millimeter |
| Warranty | Warranty | 1 year |

Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए NORIX Copper IE3 Foot Mounting Induction Motor

| Specification विनिर्देश | Value मूल्य |
|---|---------------|
| Duty- Continuous Duty (S1) ; Ambient temperature - 50 Degree Centigrade ; Temp. Rise class - "B" class; Mounting: Flange Cum Foot mounting | Yes |
| Direction of rotation - Bi-directional ; Shaft Extension - Standard ; Starting Torque - 120% of the starting torque ; No. of Hot starts/hr- 2 | Yes |
| No. of Earth Points - Two (Minimum) ; Cable entry - Suitable for PWA mining cable of required size ; Terminals - All windings leads shall be terminated in terminal box | Yes |
| Type of coupling - Direct Flexible Coupling ; Name Plate - Non fading type, properly secured till the life of motor ; Information on Nameplate - As per per IS/IEC 60034-1 the nameplate shall also carry the bearing details | Yes |
| Compliance of standards - IS12615:2011, IS 12615-2018, IS/IEC 60034-30, IS/IEC 60034-1 relevant standards, with latest amendments, if any | Yes |

Corrigendum | शुद्धिपत्र

1. Extended Upto | तक बढ़ाया गया : 2022-12-12 13:00:00

ePBG Detail | ईपीबीजी विवरण

| | |
|--|-------|
| Advisory Bank सलाहकार बैंक : | ICICI |
| ePBG Percentage(%) ईपीबीजी प्रतिशत (%) : | 3.00 |

The bidder shall furnish ePBG as applicable as per bid's terms and conditions | बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.3 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1 - PERFORMANCE BANK GUARANTEE:

The successful tenderer has to furnish a performance bank guarantee valid for 18 months from the date receipt and acceptance of last consignment equivalent to 10% value of the contract including taxes and duties etc. to the FOR Destination price of the material on order, covering the warranty period. The bank guarantee shall be released after successful completion of the guarantee period after confirmation from GM(E&M) I/C , WCL/Hqrs. The PBG must be submitted within 15 days from the date of placement of order . No payment shall be made without submission of PBG. (Format of PBG is enclosed as Annexure 4 which is to be submitted physically and through SFMS platform)

(This is in addition to the 3% e-PBG (Security Deposit) to be submitted on GeM portal)

-

2. Pre- Despatch Inspection by Third party:

In case pre dispatch inspection by the representative of CMPDIL, The inspection fee as applicable at the time of inspection (presently inspection charges is @ 1% on the Free at Site price (Basic + Fright + Insurance, P&F etc) + applicable GST (presently @ 18%) shall be initially paid by vendor by the inspecting agency. The inspection fee @ 1% on Free at Site price will be subsequently reimbursed by the paying authority on production of documentary evidence. However GST on pre-despatch inspection charges shall not be claimed by you vis-à-vis will not be reimbursed by WCL.

Since you are eligible for ITC on GST charged by the inspecting authority for pre-dispatch inspection charges, GST on pre-despatch inspection charges shall not be claimed by you vis-a vis will not be reimbursed by WCL.

Minimum 15 days of advance notice shall be given by the vendor to the inspecting agency to carryout pre dispatch inspection. Necessary tools and tackles etc. to carry out pre dispatch inspection shall be provided by the vendor. In case of any defect in the material supplied in noticed later, pre dispatch inspection shall not entitle the vendor to plead that inspection has been done by WCL's representative / third party before dispatch and shall not absolve the vendor from the contractual obligation.

CMPDIL Inspecting Authority- GM(E&M) Central Mine Planning & Design Institute Ltd, Gondwana Palace, Kanke Road, Ranchi-834008 , Fax No 0651 -2231 185 /2231 447, PH No 0651-2230 238 /2230 272

Note:The Payment of fee shall be made through state bank collect in the hyperlink created on CMPDIL website i.e www.cmpdi.co.in The payment challan shall be submitted along with the bills in order to claim the re-imbusement of pre-dispatch inspection fees from WCL.

3. Bidders are advised to read all the Terms and Conditions of the bid including ATC document before submitting the offer.

.

2.4 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2.5 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.6 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।