

Contract



11100814922026 DT.18-May-2022

Contract No: GEMC-511687702532080

Generated Date: 15-May-2022

Bid/RA/PR No: [GEM/2022/B/1902425](#)

Organisation Details	Buyer Details
Type: Central PSU	Designation: Deputy Manager
Ministry: Ministry of Coal	Contact No.: 0712-2511381-
Department: Materials Management	Email ID: alokkumar@westerncoal.gov.in
Organisation Name: Western Coalfields Ltd	GSTIN: 27AAACW1578L1ZW
Office Zone: Western Coalfields Limited / Nagpur	Address: WCL Hqrs, Coal Estate, Civil Lines, NAGPUR, MAHARASHTRA-440001, India

Financial Approval Detail	Paying Authority Details
IFD Concurrence: Yes	Payment Mode: Offline
Designation of Administrative Approval: GM MMP	Designation: Dy Manager Fin
Designation of Financial Approval: GM Finance	Email ID: sprathi@westerncoal.gov.in
	GSTIN: 27AAACW1578L1ZW
	Address: WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India

Seller Details	
GeM Seller ID:	7EED180000443498
Company Name:	CSK Technologies
Contact No.:	09849795666
Email ID:	cskteck@gmail.com
Address:	3-5-885/1,S.A.Towers,Near OLD MLA Qtrs,Himayathnagar, Hyderabad, TELANGANA-500029, -
MSME verified:	Yes
MSME Registration number:	TS02B0006394
MSE Social Category:	General
MSE Gender:	Female
GSTIN:	36ALSP53936J2ZA , 36ALSP53936J2ZA

*GST / Tax invoice to be raised in the name of - Consignee

Product Details						
#	Item Description	Ordered Quantity	Unit	Unit Price (INR)	Tax Bifurcation (INR)	Price (Inclusive of all Duties and Taxes in INR)
1	Product Name : CSK TECHNOLOGIES LED Portable Miner's Cap Lamp for use in Underground Mines (LED Lamp) 4 Ah battery capacity Brand : CSK TECHNOLOGIES Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM Category Name & Quadrant : LED Portable Miner's Cap Lamp for use in Underground Mines (LED Lamp) (Q3) CLL5M 85131030	9,743	pieces	3,201.8	NA	31,195,137.4
Total Order Value (in INR)						31,195,137.4

Consignee Detail						
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Designation: - Email ID: harishkandula@westerncoal.gov.in Contact: 962-3386330- GSTIN: - Address: WCL Central Stores, Urjagram, Tadali- 442406, CHANDRAPUR, MAHARASHTRA-442406, India	CSK TECHNOLOGIES LED Portable Miner's Cap Lamp for use in Underground Mines (LED Lamp) 4 Ah battery capacity	-	9,743	15-May-2022	13-Aug-2022

Product Specification for CSK TECHNOLOGIES LED Portable Miner's Cap Lamp for use in Underground Mines (LED Lamp) 4 Ah battery capacity

Specification	Sub-Spec	Value
GENERIC	Intrinsically safe LED portable miner's Cap Lamp complete with Li-ion battery, Cable, Head Piece, LED source with chargers and charging racks for use in underground Coal Mines	Yes
	Equipment protection by intrinsic safety 'I' is	as per IS/IEC:60079-11:2006 latest
	General requirements - Construction and testing in relation to the risk of explosion and Performance and other safety-related matters	as per IS/IEC:60079-35:2011 (Part 1 and 2) latest
	DGMS (Director General of Mines Safety) Govt of India approval for LED Cap Lamp	Yes
	If 'Yes' DGMS approval number must declare	SA-21/2008
	BIS License for Equipment protection by intrinsic safety 'I' as per IS/IEC:60079-11:2006 with latest amendment	Yes
	BIS License number (CM/L Number) - Must declare	4771778
	BIS License valid till - Must declare	30-09-2022
	Installation and commissioning of charging racks with charger and cap lamps at the lamp rooms of areas/mines	Yes
CONSTRUCTION	Minimum illumination immediately after switching the battery ON at a distance of 1 metre	> / = 1500 Lux
	Minimum illumination after 12 hrs continuous switched ON at a distance of 1 metre	> / = 1200 Lux
	Life of LED except battery	>/= 30000 working hours
	LED-Color temperature (Minimum)	4700 K
	Battery type	Lithium-ion - Rechargeable
	Battery capacity (min)	4 Ah
	Battery back up time	10-12 hours for Main LED source
	Battery charging time	8 hours
	Life of battery	Minimum 1000 cycles of recharge
	Total weight including battery, lamp head and cable	</= 700 grams
	Cap lamp is to be provided with min. 1.5 mtr of flexible cable complying DGMS Circular (Approval) No 04/Dhanbad dated 22/07/2016	Yes
	Head piece should fit for clipping with safety helmet	Yes
	On-Off switch - single ON OFF and auxiliary light selector (push or Rotary type)	Yes
	Cap lamp shall have auxiliary LED for emergency escape light for longer use in case of low battery	Yes
	Cap Lamp battery is to be provided with belt loops suitable for the belt	Yes
	Metallic Charging rack and Charger shall be capable and suitable for charging at least 120 Nos of the LED Cap Lamps simultaneously	Yes
	Charger shall have built in charging clip key assembly for all 120 positions and indicator for showing ON OFF of charging status Input voltage 440V/220V	Yes
	IP Protection rating for Miner's cap lamp as per IS:10322 (Part 1):1982 latest	IP65
MARKING	Manufacturer name, model name or number, month and year shall be marked on Each Cap Lamp	Yes
	DGMS approval number and BIS certificate number Shall be marked on Each Cap Lamp	Yes
	Cable make shall be marked on cable	Yes
CERTIFICATION	All LED Cap Lamp shall be tested as per IS/IEC:60079-35 Part 1 & 2:2011 with latest amendment thereafter at manufacturer's lab to check its standard before supplying	Yes
	Test reports from CIMFR/Govt test houses as per IS/IEC 60079 11 2006 latest for Intrinsically safety for the tendered lamp shall be furnish to the Purchase authority	Yes
	Test reports submitted for and mentioned in DGMS approval and BIS certification for the LED Cap Lamp must indicate the make/model of LED Cap Lamp	Yes
	Seller shall furnish declaration for availability of required spares shall be made available with them for the full life period of the tendered item	Yes
	Technical brochure/Catalogue/Data sheet and spare part list with part number of the supplied items one set per ten numbers of Charger with rack and 120 numbers of lamps shall be furnish to the Purchase authority	Yes
	Intrinsically safe circuit test as per IS/IEC 60079 11 2006 latest	Yes

PERFORMANCE TEST	Impact test and drop test are to be conducted	Yes
	Random samples shall be tested at CIMFR/Govt approved Lab	Yes
	The batch testing is as per DGMS Circular (Approval) Number 19 dated 28/09/2015	Yes

Corrigendum

1. **Extended Upto** : 2022-02-12 21:00:00

Terms and Conditions

1. Special terms and conditions- Version:1 effective from 19-05-2021

1.1

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic:

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

3.2 Generic:

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.3 Generic:

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

3.4 Generic:

Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

3.5 Generic:

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

3.6 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.7 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

3.8 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3.9 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

3.10 Certificates:

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): As per ATC.

3.11 Warranty:

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in

INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

3.12 Buyer Added Bid Specific ATC
Buyer Added text based ATC clauses

SI	LED Portable Miner's Cap Lamp For Use In Underground Mines (LED Lamp)	Specification Parameter
1	Required Quantity	(a) CAP LAMP COMPLETE WITH Li-ion BATTERY, CABLE & HEAD PIECE WITH LED LIGHT SOURCE - 9743 nos. (b) CHARGER & CHARGING RACK FOR THE CAP LAMPS - 86 nos.
2	Minimum Illumination Immediately After Switching The Battery ON At A Distance Of 1 Meter	> / = 1500 Lux
3	Life Of LED Except Battery	>/= 30000 working hours
4	Life Of Battery	Minimum 1000 cycles of recharge
5	Minimum Illumination After 12 Hrs Continuous Switched ON At A Distance Of 1 Meter	> / = 1200 Lux
6	Battery Capacity (Min)	4Ah
7	Test Reports From CIMFR::Govt Test Houses As Per IS::IEC 60079 11 2006 Latest For Intrinsically Safety For The Tendered Lamp Shall Be Furnish To The Purchase Authority	YES
8	Intrinsically Safe LED Portable Miner's Cap Lamp Complete With Li-Ion Battery, Cable, Head Piece, LED Source With Chargers And Charging Racks For Use In Underground Coal Mines	YES
9	Cap Lamp Is To Be Provided With Min. 1.5 Mtr Of Flexible Cable Complying DGMS Circular (Approval) No 04::Dhanbad Dated 22::07::2016	YES
10	Metallic Charging Rack And Charger Shall Be Capable And Suitable For Charging At Least 120 Nos Of The LED Cap Lamps Simultaneously	YES
11	Charger Shall Have Built In Charging Clip Key Assembly For All 120 Positions And Indicator For Showing ON OFF Of Charging Status Input Voltage 440V::220V	YES
12	Intrinsically safe LED portable miner's Cap Lamp complete with Li-ion battery, Cable, Head Piece, LED source with chargers and charging racks for use in underground Coal Mines	YES
13	Equipment protection by intrinsic safety 'I' is	as per IS/IEC:60079-11:2006 latest
14	DGMS (Director General of Mines Safety) Govt of India approval for LED Cap Lamp	YES
15	BIS License for Equipment protection by intrinsic safety 'I' as per IS/IEC:60079-11:2006 with latest amendment	YES
16	Installation and commissioning of charging racks with charger and cap lamps at the lamp rooms of areas/mines	YES
17	Battery type	Lithium-ion - Rechargeable

18	Battery back up time	10-12 hours for Main LED source
19	Battery charging time	8 hours
20	Total weight including battery, lamp head and cable	</= 700 grams
21	IP Protection rating for Miner's cap lamp as per IS:10322 (Part 1):1982 latest	IP 65
22	Manufacturer name, model name or number, month and year shall be marked on Each Cap Lamp	YES
23	DGMS approval number and BIS certificate number Shall be marked on Each Cap Lamp	YES
24	Cable make shall be marked on cable	YES

(a) Bidder to indicate offered model

(b) Documents to be submitted along with offer:

1. Notary attested copy of valid DGMS approval for the offered model of LED Miner's cap lamp assembly with Li-ion Battery for use in underground coal mine.
2. Notary attested copy of valid BIS License IS/IEC-60079-11:2006 for Electrical components used in the LED Miner's cap lamp assembly with Li-ion Battery complete.
3. Bidder shall submit an undertaking "THE ELECTRICAL COMPONENTS USED IN THE LED MINER'S CAP LAMP ASSEMBLY WITH LI-ION BATTERY COMPLETE ARE INTRINSICALLY SAFE AS PER IS/IEC-60079-11:2006.

(c) Documents to be submitted along with supply:

1. Self attested copy of valid DGMS approval for the offered model of LED Miner's cap lamp assembly with Li-ion Battery for use in underground coal mine.
2. Self attested copy of valid BIS License IS/IEC-60079-11:2006 for Electrical components used in the LED Miner's cap lamp assembly with Li-ion Battery complete.
3. List of spare parts
4. Tools and tackles, if any.
5. Technical Brochure/Catalogue of the offered item.

(d) General terms & conditions:

1. The Cap Lamp shall be type tested at CMRI, Dhanbad and approved by DGMS for use in underground coal mines by miner's.
2. At least 10% of the cap lamp produced shall be tested at the manufacturer's laboratory to check standard as stipulated by DGMS before supplying to users and 0.25% of the cap lamp shall be tested at CMRI, Dhanbad under same standard.
3. Written instruction manual detailing the methods of operation, care, maintenance and limitations of use shall be sent with every consignment of cap lamps.
4. The lamp room staff and the officials concerned shall be given sufficient instructions and training in safe use and proper maintenance of the cap lamp in its design condition.
5. Proper technical Services as well as supply of spare parts/ components, manufactured by you of same specification as those of original parts/ components shall be made.
6. Any complain from the user about the quality of the product shall be attended to expeditiously

(e) Charger Input: 85 to 265 volts, 1-phase AC 50 Hz, Charger Output Voltage & current: 5V DC & 800mA

(f) Guarantee/Warranty clause: You shall give composite guarantee/ warranty of satisfactory performance of the complete equipment (along with accessories including battery) for a period of 3 years from the date of supply. You shall be responsible for any defects that they develop under the conditions provided for by the NIT/ contract and under proper use, arising from faulty materials, design or workmanship, shall remedy such defects at his own cost when called upon to do so. If it becomes necessary for the supplier to replace or renew any defective portion of the goods, such replacement or renewal should be made by the supplier without any extra cost to WCL.

A certificate to this effect shall be submitted by you along with submission of bills.

3.13 Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of WESTERN COALFIELDS LIMITED payable at NAGPUR.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3.14 Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name WESTERN COALFIELDS LTD Account No. 10205966091 IFSC Code SBIN0009060 Bank Name STATE BANK OF INDIA Branch address COAL ESTATE BRANCH CIVIL LINES, NAGPUR 440001.

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.