

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687753335479

अनुबंध तिथि | Generated Date : 23-Jan-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4100818](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central PSU मंत्रालय Ministry : Ministry of Coal विभाग Department : Materials Management संगठन का नाम Organisation Name : Western Coalfields Ltd कार्यालय क्षेत्र Office Zone : Western Coalfields Limited / Nagpur	पद Designation : Manager MM संपर्क नंबर Contact No. : 0712-2511381-5824 ईमेल आईडी Email ID : shshaik@coalindia.in जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : WCL Hqrs, Coal Estate, Civil Lines, NAGPUR, MAHARASHTRA-440001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : GM(MM) वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : CM(F)	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Dy Manager Fin ईमेल आईडी Email ID : sprathi@westerncoal.gov.in जीएसटीआईएन GSTIN : 27AAACW1578L1ZW पता Address : WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID : कंपनी का नाम Company Name : संपर्क नंबर Contact No. : ईमेल आईडी Email ID : पता Address : एमआईआई स्थिति MII Status : एमएसएमई सत्यापित MSME verified : एमएसएमई पंजीकरण संख्या MSME Registration number : एमएसएमई सामाजिक श्रेणी MSE Social Category : एमएसएमई लिंग श्रेणी MSE Gender : जीएसटीआईएन GSTIN:	0A0A180000090721 ASKA EQUIPMENTS PRIVATE LIMITED (TRANSFERED FROM MAHARASHTRA) 08851675722 sales@askagroup.com C 19 20 21, DEV BHOOMI INDUSTRIAL ESTATE, PUHANA IQBALPUR ROAD, BANTAKHEDI ROORKEE, Haridwar, UTTARAKHAND-247667, - True Yes UDYAM-DL-03-0001766 General Male 05AABCA4838Q1ZC

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : ASKA Watermist And Caf Fire Extinguisher High Pressure Back Pack Type ब्रांड Brand : ASKA ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Watermist and CAF Fire Extinguisher High Pressure Back Pack Type (V2) (Q2) मॉडल Model: ASKA HiPress 9 Carbon-E एचएसएन कोड HSN Code: 84241000	7	pieces	382,500	NA	2,677,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						2,677,500

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिवसों के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	पद Designation :- ईमेल आईडी Email ID : kvmurugesan@coalindia.in संपर्क Contact : 712-2641320- जीएसटीआईएन GSTIN : 27AACW1578L1ZW पता Address : WCL Hqrs, Coal Estate, Civil Lines, NAGPUR, MAHARASHTRA-440001, India	ASKA Watermist And Caf Fire Extinguisher High Pressure Back Pack Type	-	7	23-Jan-2024	23-Mar-2024
---	--	---	---	---	-------------	-------------

Product Specification for ASKA Watermist And Caf Fire Extinguisher High Pressure Back Pack Type

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Generic Parameter	Conformity to EN 3- 7 2004+A1 2007-08 standards	The complete system shall be tested for compliance from an internationally/nationally accredited laboratory for compliance to all 30 clauses (3.15, 3.2, 4.2, 4.3, 4.4, 4.5, 6.1, 6.2, 6.3, 7.1.1, 7.1.2, 7.2, 7.3, 7.4, 8.1, 8.2, 9.2, 10.1, 10.2, 10.3, 10.4, 10.5, 10.6.1 & 10.6.2, 14.1, 14.2, 15.2, 15.3, 16.1, 16.2) of EN 3 - 7:2004 + A1: 2007-08 (E) Standard mandatorily applicable for the complete system.
	Mounting type	Backpack
	Configuration of backpack	The complete system will be mounted on a sturdy frame suitably cushioned for comfort, provided with shoulder pads for carrying as a backpack and a handle to be carried by hand. All materials used shall be of fire retardant type.
	Backpack shall be supplied with Air Cylinders	Two Air Cylinder
	Model Number as per Accredited Laboratory Test Report to Be declared	ASKA HiPress 9 Carbon-E
	Main Components: Pressure vessel to hold the media with safety valve, compressed air cylinder coupled with a reducer, hose pipes for discharge of watermist media, extinguishing gun	Yes
Constructional	Air Cylinder Material	Ultralight Carbon Composite with PET Liner Non Corrosive
	Type of Foam, Standard foam conforming to UL 162 or EN 1568-3 or IS 4989, Standards for fire rating 27A 233B 1000V, The concentration should be	NA - for Special AFFF Compound
	Type of foam, Special AFFF Compound conforming to manufacturer own specifications or EN 1568-3 for higher fire rating A55 233 B. The concentration should be	3%
	If special foam mention the composition for special foam, otherwise put NA	As per Test Report
	Commercial Brand Name of the Special foam (fire extinguishing medium) as per accredited laboratory test report wherein higher fire ratings i.e A55,B233, E1000 V (Di-Electric Suitability) achieved, to be declared, Write NA if not applicable	As per Test Report
	Characteristics of extinguishing medium of Special AFFF Compound (manufacturer own specifications) to be furnished, NA if not applicable	As per Test Report
	Pressure Vessel Material & Capacity (Nominal Charge)	Ultralight Carbon Composite with PET Liner of 9 liter capacity
	Minimum wall thickness of pressure vessel (mm)	Not applicable for Ultralite Carbon Composite with PET Liner Vessel and Ultralite Carbon Composite with PET Liner Vessel made of Graphene Nano Tubes
	Extinguishing gun material	Stainless Steel
	If others Mentions the material for Extinguishing gun, otherwise put NA	NA
	Extinguishing gun weight (750 grams approx)	750
	Length of EN marked Hose 1.3 meter for backpack system	Yes
	Weight of fully charged Backpack system	20 kilogram
	Air Cylinder Service Life as per PESO Approval PESO Approval document to be checked for Service Life	20 Years
	Steel Air Cylinder Weight of each air cylinder as per PESO approved drawing (Empty Cylinder Weight)(This excludes valves used, Dome cover Bottom & Top i.e protective Sleeves)	NA - for Ultralight Carbon Composite with PET Liner Non Corrosive, Carbon Composite with Aluminum Liner, Carbon Composite with PET Liner Non Corrosive made of Graphene Nano Tubes
	Ultralight Carbon Composite with PET Liner Non Corrosive Air Cylinder Weight without any accessories like protection caps or valves (empty Cylinder weight) (This excludes valves used, Dome cover Bottom & Top i.e protective Sleeves)	Yes
Carbon Composite with Aluminum Liner Air Cylinder Weight of each air cylinder as per PESO approved drawing (Empty Cylinder Weight) (This excludes valves used, Dome cover Bottom & Top i.e protective Sleeves)	NA - for Steel, Ultralight Carbon Composite with PET Liner Non Corrosive, Carbon Composite with PET Liner Non Corrosive made of Graphene Nano Tubes	

	Carbon Composite PET Liner Non Corrosive Air Cylinder Made of Graphene Nano Tubes Weight of each air cylinder as per PESO approved drawing (Empty Cylinder Weight) (This excludes valves used, Dome cover Bottom & Top i.e protective Sleeves)	NA - for Steel, Ultralight Carbon Composite with PET Liner Non Corrosive, Carbon Composite with Aluminum Liner
Performance	Air Cylinder Capacity (Liters)	2 liter
	Air Cylinder pressure (Bar)	300 bar
	High Pressure Type (Dynamic Operating pressure >= 30 bar to be tested in the accredited laboratory test report which will be considered as high pressure as per clause No 3.15 of EN 3 - 7:2004 + A1: 2007-08 (E) Standard) ≥ 30 for Al, ≥ 35 for ULCCPET	37 bar
	Lancing Distance of Gun (Meter)	>=12
	The air hoses shall be suitable for minus 40 deg C to 100 Deg C temperature and EN mark on hose	Yes
	Minimum Operating time in full throttle	26 seconds
	System shall be designed for maximum operating temperature TS max and minimum operating temperature TS min of 60 deg C or more and 5 Deg C or less respectively and certified by the manufacturer accordingly as per Clause 7.4 of EN 3-7:2004+A1:2007-08	Yes
	Fire Rating	55A 233B 1000V with Special AFFF Compound as per manufacturer own specifications or EN 1568-3
Certification	Latest PED Approval 2014/68/EU (PED) (which replaces Directive 97/23/EC)	Not applicable for Ultralight Carbon Composite with PET Liner Non Corrosive and Carbon Composite with PET Liner Non Corrosive made of Graphene Nano Tubes as PET Liner has latest EU type examination production type (Module B) according to directive 2014/68/EU issued from notified body with NLL (Non Limited Life).
	Pressure Vessel shall include a pressure gauge fitted on the vessel/reducer to measure the Air Cylinder Pressure	Yes
	No objection certificate (NOC) for Pressure Vessel from Petroleum and Explosives Safety Organization (PESO) Nagpur	NA
	Pressure Vessel should have CE Marking from Notified body	NA
	The air cylinders shall have PESO, Nagpur approval	Yes
	Specific consent of the OEM for the value additions made along with a confirmation that fire ratings of the equipment would not be affected by these value additions	Yes
	Test Report Number	3014
	Test Report Date	09.04.21, 29.03.22, 15.07.22
	Name of ILAC/NABL/Central Govt Accredited Laboratory where Test Conducted	AFTRL DELHI
	NOC Letter No Date of PESO Nagpur for Pressure Vessel	NA
	Manufacturing / Import permission from Petroleum and Explosives Safety Organization (PESO) Nagpur Approval shall be mandatory for Air Cylinders and shall be included in the offer	Yes
	Inspection Authority should verify the above specifications and fire ratings from respective Test Reports and PESO Approval only as declared above	Yes
खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए Buyer Defined Additional Specification for ASKA Watermist And Caf Fire Extinguisher High Pressure Back Pack Type		
विनिर्देश Specification	मूल्य Value	
The Water and CAF Fire Extinguisher shall not exceed weight of	20 kg	
ईपीबीजी विवरण ePBG Detail		
सलाहकार बैंक Advisory Bank :	ICICI	
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	10.00	
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per bid's terms and conditions		

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.3 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.4 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.5 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

WESTERN COALFIELDS LTD

Account No.

10205966091

IFSC Code

SBIN0009060

Bank Name

STATE BANK OF INDIA

Branch address

COAL ESTATE BRANCH CIVIL LINES, NAGPUR 440001

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

2.6 Purchase Preference (Centre):

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

2.7 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1) Instruction to MSE Bidder:

If the MSE bidder wants to avail MSE purchase preference then bidder has to registered their status as MSE on GeM portal and also will have to claim purchase preference on GeM portal while participating in bid, in case bidder failed to claim MSE purchase preference on GeM portal then they will not get benefit of MSE purchase preference.

2) Bidder to submit the following commercial documents along with their offer / bid documents in addition to documents sought in technical specification:

1. Local content certificate (as per Annexure "A").

2.. Documents in support of Eligibility (documents as applicable for Manufacturer / Indian Agent including Annexure "B" and Annexure "C", as the case may be).

3. Non-Banning Certificate/Declaration as per Annexure "D".

4. Undertaking of Price Fall Clause as per Annexure "F".

5. Lowest price Certificate as per Annexure "G".

2.8 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

