

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687705996482

Generated Date | अनुबंध तिथि: 09-Nov-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3698245](#)

Schedule Name | अनुसूची नाम: Schedule 12, Schedule 7, Schedule 1, Schedule 8, Schedule 5, Schedule 10, Schedule 4

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप: Central PSU	Designation पद: Assistant Manager MM
Ministry मंत्रालय: Ministry of Coal	Contact No. संपर्क नंबर: 0712-2511383-5824
Department विभाग: Materials Management	Email ID ईमेल आईडी: sachin.khodke@nic.in
Organisation Name संगठन का नाम: Western Coalfields Ltd	GSTIN जीएसटीआईएन: 27AAACW1578L1ZW
Office Zone कार्यालय क्षेत्र: Western Coalfields Limited / Nagpur	Address पता: WCL Hqrs, Coal Estate, Civil Lines, NAGPUR, MAHARASHTRA-440001, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति: No	Role: PAO
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: CMD WCL	Payment Mode भुगतान का तरीका: Offline
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: DF	Designation पद: Dy Manager Fin
	Email ID ईमेल आईडी: sprathi@westerncoal.gov.in
	GSTIN जीएसटीआईएन: 27AAACW1578L1ZW
	Address पता: WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी: 40BA190000758290	Company Name कंपनी का नाम: INDIAN OIL CORPORATION LIMITED
Contact No. संपर्क नंबर: 07291005171	Email ID ईमेल आईडी: achore@indianoil.in
Address पता: G-9, INDIAN OIL BHAVAN, ALI YAVAR JUNG MARG, BANDRA (EAST), Mumbai, MAHARASHTRA-400051, -	MII Status एमआईआई स्थिति: True
MSME verified एमएसएमई सत्यापित: No	MSME Registration number एमएसएमई पंजीकरण संख्या: -
GSTIN जीएसटीआईएन: 27AAAC11681G1ZP	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: NA

Product Details उत्पाद विवरण		Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम: SERVO ULTRA 30 Brand ब्रांड: INDIAN OIL (SERVO) Brand Type ब्रांड प्रकार: Unbranded Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है: Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: SERVO ULTRA 30 (Q3) Model मॉडल: INDIAN OIL (SERVO) HSN Code एचएसएन कोड: 2710	322,560	liter	107.26	NA	34,597,785.6
2	Product Name उत्पाद का नाम: SERVO Final Drive Axle Oil MS Barrels Brand ब्रांड: SERVO Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Final Drive Axle Oil (Q2) Model मॉडल: INDIAN OIL (SERVO) HSN Code एचएसएन कोड: 2710	24,990	liter	279.66	NA	6,988,703.4
3	Product Name उत्पाद का नाम: SERVO 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40 Brand ब्रांड: SERVO Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM	85,680	liter	115.49	NA	9,895,183.2

	Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 (Q2) Model मॉडल: INDIAN OIL (SERVO) HSN Code एचएसएन कोड: 2710					
4	Product Name जयाद का नाम : SERVO Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel Brand ब्रांड : SERVO Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Extreme Pressure Gear Oil as per IS 1118 (Q3) Model मॉडल: INDIAN OIL (SERVO) HSN Code एचएसएन कोड: 27101974	65,520	pieces	134.93	NA	8,840,613.6
5	Product Name जयाद का नाम : SERVO Transmission C4 SAE 10W Transmission Oils Brand ब्रांड : SERVO Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Transmission oils (Q3) Model मॉडल: INDIAN OIL (SERVO) HSN Code एचएसएन कोड: 2710	111,930	liter	110.77	NA	12,398,486.1
6	Product Name जयाद का नाम : SERVO MS Barrels (Liters) Anti Wear Hydraulic Oil Brand ब्रांड : SERVO Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Anti Wear Hydraulic Oil as per IS 11656 IS 11656 (Q2) Model मॉडल: INDIAN OIL (SERVO) HSN Code एचएसएन कोड: 27101983	74,340	liter	147.5	NA	10,965,150
7	Product Name जयाद का नाम : SERVO Transmission C4 SAE 30 Transmission Oils Brand ब्रांड : SERVO Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Transmission oils (Q3) Model मॉडल: INDIAN OIL (SERVO) HSN Code एचएसएन कोड: 2710	405,300	liter	111.96	NA	45,377,388
Total Order Value कुल ऑर्डर मूल्य (in INR)						129,063,309.9

Consignee Detail | परेषिती विवरण

S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : - Email ID ईमेल आईडी : m.khobragade@coalindia.in Contact संपर्क : 07173-230421- GSTIN जीएसटीआईएन : 27AAACW1578L1ZW Address पता : Regional Stores, WCL Ballarpur Area PO Sasti Distt Chandrapur (M.S) Pin 442 706, Chandrapur, MAHARASHTRA-442706, India	SERVO ULTRA 30	-	37,800	09-Nov-2023	07-Feb-2024
		SERVO Final Drive Axle Oil MS Barrels	-	6,300	09-Nov-2023	07-Feb-2024
		SERVO Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	7,350	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 10W Transmission Oils	-	25,200	09-Nov-2023	07-Feb-2024
		SERVO MS Barrels (Liters) Anti Wear Hydraulic Oil	-	8,400	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	84,000	09-Nov-2023	07-Feb-2024
2	Designation पद : - Email ID ईमेल आईडी : hb.prakash@coalindia.in Contact संपर्क : 07175-285086- GSTIN जीएसटीआईएन : 27AAACW1578L1ZW Address पता : Regional Stores, WCL New Majri, P.O. Shivaji Nagar Distt Chandrapur, CHANDRAPUR, MAHARASHTRA-442503, India	SERVO ULTRA 30	-	48,300	09-Nov-2023	07-Feb-2024
		SERVO Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	6,300	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 10W Transmission Oils	-	5,880	09-Nov-2023	07-Feb-2024

		SERVO Transmission C4 SAE 30 Transmission Oils	-	38,850	09-Nov-2023	07-Feb-2024
3	Designation पद :- Email ID ईमेल आईडी : asaari.mahender@nic.in Contact संपर्क :-9618810882- GSTIN जीएसटीआईएन :- Address पता : Regional Stores, WCL Wani North Area , PO UKNI, Tahsil WANI Dist Yavatmal (MS) Pin 445 304, YAVATMAL, MAHARASHTRA-445304, India	SERVO ULTRA 30	-	40,950	09-Nov-2023	07-Feb-2024
		SERVO Final Drive Axle Oil MS Barrels	-	3,150	09-Nov-2023	07-Feb-2024
		SERVO 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	19,950	09-Nov-2023	07-Feb-2024
		SERVO Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	-	6,300	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 10W Transmission Oils	-	8,400	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	57,120	09-Nov-2023	07-Feb-2024
4	Designation पद :- Email ID ईमेल आईडी : abhimanue.katoch@nic.in Contact संपर्क : 90102-08572- GSTIN जीएसटीआईएन : 27AAACW1578L1ZW Address पता : Regional Stores, WCL P.O. Umrer Project Dist. Nagpur M.S. Pin 441204, NAGPUR, MAHARASHTRA-441204, India	SERVO ULTRA 30	-	28,560	09-Nov-2023	07-Feb-2024
		SERVO 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	22,680	09-Nov-2023	07-Feb-2024
		SERVO Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	-	11,130	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 10W Transmission Oils	-	15,750	09-Nov-2023	07-Feb-2024
		SERVO MS Barrels (Liters) Anti Wear Hydraulic Oil	-	2,940	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	37,590	09-Nov-2023	07-Feb-2024
5	Designation पद :- Email ID ईमेल आईडी : kskattimani@westerncoal.gov.in Contact संपर्क : 7172-265351- GSTIN जीएसटीआईएन : 27AAACW1578L1ZW Address पता : Regional Stores, WCL, Durgapur Open cast, P.O. DURGAPUR Dist Chandrapur, (M.S) Pin 442 403, CHANDRAPUR, MAHARASHTRA-442403, India	SERVO ULTRA 30	-	52,500	09-Nov-2023	07-Feb-2024
		SERVO Final Drive Axle Oil MS Barrels	-	5,460	09-Nov-2023	07-Feb-2024
		SERVO Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	-	8,400	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 10W Transmission Oils	-	31,500	09-Nov-2023	07-Feb-2024
		SERVO MS Barrels (Liters) Anti Wear Hydraulic Oil	-	23,100	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	57,960	09-Nov-2023	07-Feb-2024
6	Designation पद :- Email ID ईमेल आईडी : alokkumar@westerncoal.gov.in Contact संपर्क : 0712-2649299- GSTIN जीएसटीआईएन : 27AAACW1578L1ZW Address पता : Regional Stores, WCL PO SILEWARA COLLIERY Dist. Nagpur M.S.; Pin 441 109, NAGPUR, MAHARASHTRA-441109, India	SERVO ULTRA 30	-	61,950	09-Nov-2023	07-Feb-2024
		SERVO Final Drive Axle Oil MS Barrels	-	3,780	09-Nov-2023	07-Feb-2024
		SERVO 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	13,650	09-Nov-2023	07-Feb-2024
		SERVO Extreme Pressure Gear Oil- Is:1118, Size 210 liter in MS Barrel	-	17,640	09-Nov-2023	07-Feb-2024
		SERVO MS Barrels (Liters) Anti Wear Hydraulic Oil	-	15,750	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4				

		SAE 30 Transmission Oils	-	62,580	09-Nov-2023	07-Feb-2024
		SERVO ULTRA 30	-	52,500	09-Nov-2023	07-Feb-2024
		SERVO Final Drive Axle Oil MS Barrels	-	6,300	09-Nov-2023	07-Feb-2024
		SERVO 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40	-	29,400	09-Nov-2023	07-Feb-2024
7	Designation पद :- Email ID ईमेल आईडी : mrbanchod@westerncoal.gov.in Contact संपर्क : 07172-237513- GSTIN जीएसटीआईएन : 27AAACW1578L1ZW Address पत्ता : Regional Stores, WCL P.O. GHUGUS COLLIERY Distt Chandrapur, M.S ; Pin 442 505, CHANDRAPUR, MAHARASHTRA-442505, India	SERVO Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel	-	8,400	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 10W Transmission Oils	-	25,200	09-Nov-2023	07-Feb-2024
		SERVO MS Barrels (Liters) Anti Wear Hydraulic Oil	-	24,150	09-Nov-2023	07-Feb-2024
		SERVO Transmission C4 SAE 30 Transmission Oils	-	67,200	09-Nov-2023	07-Feb-2024

Product Specification for SERVO ULTRA 30

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Custom Specification	Custom Specification	Yes

Seller Specification Document | विक्रेता विशिष्टता दस्तावेज़:

1. SpecificationDocument1	mkp.gem.gov.in/catalog_data/catalog_support_document/43/14/100/CatalogAttrs/SpecificationDocument/2022/3/14/2022_03_14_16_42_00_servo-ultra_2022-03-14-16-42-05_86190e31b2f391353fbc6e739a3cb40b.pdf
---	--

Buyer Specification Document | खरीदार विशिष्टता दस्तावेज़:

1. SpecificationDocument	mkp.gem.gov.in/catalog_data/catalog_support_document/buyer_documents/859683/54/78/703/CatalogAttrs/SpecificationDocument/2023/7/15/mit_2023-07-15-13-47-23_b1c3aac4bef5d9ab5dbff63dd4a45d1.pdf
--	--

Product Specification for SERVO Final Drive Axle Oil MS Barrels

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
General	Item	Final Drive Axle Oil
Requirement for Final Drive Axle Oil	Appearance	Clear
	Colour ASTM, Max	8
	Flash point COC, °C, Min	230
	Pour point °C, Max	-9
	Kinematic viscosity @ 100 Deg C, cSt	25.28
	Foaming Chrs, Tendency/ Stability : At 24 Deg C, Max	10/0
	Foaming Chrs, Tendency/ Stability : At 93 point 5 Deg C, Max	50/0
	Foaming Chrs, Tendency/ Stability : at 24 Deg C after the test at 93 point 5 Deg C , Max	10/0
	Total base number, mg KOH/gm	3.84
	Sulphated ash, % wt	0.13
	Calcium (percent of the reported value), %wt	0.029
	Phosphorus (percent of the reported value), % wt	0.033
Packing , Marking and Labelling	Packing of Final Drive Axle Oil	MS Barrels
	Packing size (Litres)	210
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand (Must be declared, write NA if Test Report is not available)	YES
	Product data sheet will be submitted by the seller on demand	YES
	Metal safety data sheet will be submitted by the seller on demand	YES

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए SERVO Final Drive Axle Oil MS Barrels

Specification विनिर्देश	Value मूल्य
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

Product Specification for SERVO 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Grade	Grade Internal Combustion Engine Lubrication Oil	SAE-15W40
General	Item	Internal Combustion Engine Lubrication Oil
Packing , Marking and Labelling	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier	MS Barrels
	Packing Size (Litres)	210
Certification	Conformity to Specification	IS : 13656 (Latest)
	Whether ISI Marked	NO
	CM/L Number (Must declare if ISI Marked),(else write NA)	NA
	API Classifications	CH4
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is not available)	YES

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए SERVO 210 Litres Internal Combustion Engine Lubrication Oil with Grade SAE-15W40

Specification विनिर्देश	Value मूल्य
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

Product Specification for SERVO Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Certifications and Standards	Manufacturer ISO Certification	Yes
	ISO Certification number and date if ISO certified else Write NA	NA
	Whether ISI Marked	No
	CM/L Number(Write NA if not applicable)	NA
	Conformity to Specification	IS:1118 (Latest)
Generic	Oil Types	EP Type GL-5
	Viscosity Grades	SAE 140
	Item	Extreme Pressure Gear Oil for Arrester Barrier(GBM)
Packaging	Packaging Size	210 liter
	Packaging Material	MS Barrel
Test Reports	Copies of test reports and certificates to be furnished to buyer on demand at time of supplies	Yes
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	Yes

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए SERVO Extreme Pressure Gear Oil-Is:1118, Size 210 liter in MS Barrel

Specification विनिर्देश	Value मूल्य
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES
Unit of Measurement is to be considered as 1 Piece equivalent to 1 Liter and price to be quote/offered in Rs / liter.	YES , AGREED

Product Specification for SERVO Transmission C4 SAE 10W Transmission Oils

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
General	Item	Transmission oils
Grade	Grade of Transmission oils	Transmission C4 SAE 10W
Physical Characteristics	Appearance	Clear
	Colour ASTM, Max	NA for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Copper Strip Corrosion @100 Deg C 3Hr	NA for Transmission C4 SAE 10W, Transmission C4 SAE 30, Transdex II, Steer TM grade
	Rust Test 24 hrs	NA for Transmission C4 SAE 10W, Transmission C4 SAE 30, Transdex II, Steer TM grade
	Flash point COC, °C, Min	160 for Transfluid A, Transmission C4 SAE 10W, Transdex II grade
	Pour point °C, Max	Minus 30 for Transmission C4 SAE 10W grade
	Kinematic viscosity @ 40 Deg C, cSt, Min	NA for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM grade
	Kinematic viscosity @ 100 Deg C, cSt	5.6 for Transmission C4 SAE 10W grade
	Brookfield viscosity @ -40 Deg C, cp, Max	NA for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM grade
	Viscosity Index, Min	100 for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Total base number, mg KOH/gm	(7- 8.5) for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Sulphated ash, % wt	(0.97- 1.2) for Transmission C4 SAE 10W grade
	"Calcium (percent of the reported value), %wt"	(0.2500 - 0.3000) for Transmission C4 SAE 10W grade
	"Zinc (percent of the reported value), %wt"	(0.0900 - 0.1100) for Transmission C4 SAE 10W grade
"Phosphorus (percent of the reported value), % wt"	(0.0800 - 0.1000) for Transmission C4 SAE 10W grade	
Packing , Marking and Labelling	Packing of Lubricating oils	MS Barrels
	Packing size,(Litres)	210
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand	YES

Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए SERVO Transmission C4 SAE 10W Transmission Oils

Specification विनिर्देश	Value मूल्य
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

Product Specification for SERVO MS Barrels (Liters) Anti Wear Hydraulic Oil

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
	Kinematic viscosity at 40°C, cSt	(43-48) for TH-46 grade
	Viscosity index, Min	130 for TH-46 grade
	Pour point, °C, Max	Minus 24 for TH-46 grade
	Flash point(COC), °C, Min	200 for TH-46 grade
	Neutralization number, mg KOH/g of oil, Max	1.5 (for TH 46, 100 grade)
	Rust preventing characteristics	Shall pass the test B after 24 h
	Copper strip corrosion for 3 hours at 100°C	Not worse than 1
	Foam stability after 10 minutes setting time, foam; At 24°C, ml, Max	Nil
	Foam stability after 10 minutes setting time, foam; At 93°C, ml, Max	Nil
	Foam stability after 10 minutes setting time, foam; At 24°C after cooling down from 93°C, ml Max	Nil
	Emulsion characteristics, Max	40-37-3 (20) for TH 46 grade
	Air release value, minutes to 0 point 2 percent volume air content at 50°C, Max	7 (for VG 32, TH46, 100 grade)
	Oxidation test for 1000 hours: Neutralization number of oil, mg KOH/g, Max	NA (for TH-46, 100 grade)
	Oxidation test for 1000 hours: Total sludge in oil and water layer plus those adhering to the catalyst coils	

REQUIREMENTS FOR ANTI WIRE HYDRAULIC OIL	or test tube mg,Max	NA (for TH-46, 100 grade)
	Oxidation test for 1000 hours: Metal in combined oil, water and sludge Copper, mg, Max	NA (for TH-46, 100 grade)
	Oxidation test for 1000 hours: Metal in combined oil, water and sludge: Iron, mg, Max	NA (for TH-46, 100 grade)
	Hydrolytic stability : Copper specimen mass loss, mg/cm	NA (for TH-46, 100 grade)
	Hydrolytic stability : Acidity of water layer, mg KOH,Max	NA (for TH-46, 100 grade)
	Four ball wear test at 20 kg load;Wear scar diameter, mm,Max	NA (for TH-46, 100 grade)
	Pump wear test (Vickers 104C, 250 hours test);Total mass loss to rings and vanes; mg,Max	NA (for TH-46, 100 grade)
	FZG-Niemann EP test, pass load stage, Min	8th (for TH-46, 100 grade)
	Thermal stability test at 135°C for 168 hours: Viscosity increase, percent, Max	NA (for TH-46, 100 grade)
	Thermal stability test at 135°C for 168 hours: Sludge mg/100 ml, Max	NA (for TH-46, 100 grade)
	Thermal stability test at 135°C for 168 hours: Copper rod mass, loss, mg/200 m, Max	NA (for TH-46, 100 grade)
	Thermal stability test at 135°C for 168 hours: Copper rod rating, Max	NA (for TH-46, 100 grade)
	Filtration time seconds: With 2 percent water, Max	NA (for TH-46, 100 grade)
	Filtration time seconds: With 2 percent water, Max	NA (for TH-46, 100 grade)
	Seal compatibility test: Volume change,percent, Max	±4
	Seal compatibility test: Change in shore hardness, Max	(1 to +4)
	Grade	Grade of Anti Wire Hydraulic Oil
Packing , Marking and Labelling	The material shall be packed in metal containers or in any other suitable containers as agreed to between the purchaser and the supplier	MS Barrels
	Packing size (Liters)	210
Certification	Conformity to specification	Generally conforming to Is : 11656 (latest)
	Whether ISI Marked	NO
	CM/L Number(Must declare if ISI Marked)	NA
	RDSO Approval	NA
	RDSO approval certificate to be submitted to the buyer on demand	NA
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand (Must be declared, write NA if Test Report is not available)	YES
Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए SERVO MS Barrels (Liters) Anti Wear Hydraulic Oil		
Specification विनिर्देश		Value मूल्य
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).		YES
Product Specification for SERVO Transmission C4 SAE 30 Transmission Oils		
Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
General	Item	Transmission oils
Grade	Grade of Transmission oils	Transmission C4 SAE 30
Physical Characteristics	Appearance	Clear
	Colour ASTM, Max	NA for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Copper Strip Corrosion @100 Deg C 3Hr	NA for Transmission C4 SAE 10W, Transmission C4 SAE 30,Transdex II,Steer TM grade
	Rust Test 24 hrs	NA for Transmission C4 SAE 10W, Transmission C4 SAE 30,Transdex II,Steer TM grade
	Flash point COC,°C, Min	180 for Transmission C4 SAE 30, Steer TM grade
	Pour point °C, Max	Minus 27 for Transmission C4 SAE 30 grade
	Kinematic viscosity @ 40 Deg C, cSt, Min	NA for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM grade
	Kinematic viscosity @ 100 Deg C, cSt	(9.3 -12.5) for Transmission C4 SAE 30 grade
	Brookfield viscosity @ -40 Deg C, cp, Max	NA for Transmission C4 SAE 30, Transmission C4 SAE 30, Steer TM

		grade
	Viscosity Index, Min	100 for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Total base number, mg KOH/gm	(7- 8.5) for Transmission C4 SAE 10W, Transmission C4 SAE 30 grade
	Sulphated ash, % wt	NA for Transmission C4 SAE 30 , Transdex II, Steer TM grade
	"Calcium (percent of the reported value), %wt"	(0.1500 - 0.1836) for Transmission C4 SAE 30 grade
	"Zinc (percent of the reported value), %wt"	(0.0635 - 0.0750) for Transmission C4 SAE 30 grade
	"Phosphorus (percent of the reported value), % wt"	(0.0585 - 0.0715) for Transmission C4 SAE 30 grade
Packing , Marking and Labelling	Packing of Lubricating oils	MS Barrels
	Packing size,(Litres)	210
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	YES
	Test Report to be furnished to the Buyer on demand	YES

Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए SERVO Transmission C4 SAE 30 Transmission Oils

Specification विनिर्देश	Value मूल्य
Acceptance & Submission of documents as per attached terms & conditions (ATC Document).	YES

ePBG Detail | ईपीबीजी विवरण

Advisory Bank सलाहकार बैंक :	ICICI
ePBG Percentage(%) ईपीबीजी प्रतिशत (%) :	10.00

The bidder shall furnish ePBG as applicable as per bid's terms and conditions | बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

2.3 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.4 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

2.5 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

WESTERN COALFIELDS LTD

Account No.

10205966091

IFSC Code

SBIN0009060

Bank Name

STATE BANK OF INDIA

Branch address

COAL ESTATE BRANCH CIVIL LINES, NAGPUR 440001

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

2.6 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1. Instruction to MSE Bidder: If the MSE bidder wants to avail MSE purchase preference then bidder has to re gistered their status as MSE on GeM portal and also will have to claim purchase preference on GeM portal w hile participating in bid, in c ase bidder failed to claim MSE purchase preference on GeM portal then t hey wil I not get benefit of MSE purchase prefere nce.

2. In case of issuance of contract for part items the technical specifications of the respective i t ems shall be applicable fo r the items included in the contract.

3.. In the bid document the Unit of Measurement for Schedule no 8 & 9 should be read as "Liters" instead of "Pieces" ,

4. The clause no 2 in ATC/Commercial terms. i.e. RELAXATION NORMS FOR STARTUPS & MSEs is applicable for prior expe rience only (cl no 8 of Part-A) , however , all technical parameters and other terms and conditions of PART A should be co mplied for each quoted grade.

5. In the buyer specification document, 'SI no' indicated as 07 may read as 12 (i.e. for item/schedule Sr no 12: Transmission/Hydraulic Oil - SAE 30)

6.For item 12,13 & 14 bid specification document should be read for respective item and details to be fur nished accordingly. ATC shall be applicable for the tendered items.

Pre-contract Integrity Pact: Applicable

7.

Pre-contract Integrity Pact: Applicable for all tendered items.

IEM details:

SI no	Name of IEM	Address	e-mail ID	Mobile No
1	Shri Sudhir Kumar, IAS (Retd)	Flat no 8022, ATS - On e Hamlet, Sector- 104, m PO Maharshi Nagar, N oida - 201304	sukuag@hotmail.co m	9560430245
2	Shri. Anil Kaushal, ITS (Retd)	10, Coral Court, Essel Tower, MG Road-1220 02	kaushal.anil17@gma il.com	8800028118

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।