

**Contract****Contract No:** GEMC-511687756470567

21000816521102 DT. 24-08-21

Generated Date: 06-Aug-2021**Bid/RA/PR No:** [GEM/2020/B/870725](#)

Organisation Details		Buyer Details	
Type:	Central PSU	Designation:	Assistant Mgr MM
Ministry:	Ministry of Coal	Contact No.:	0712-2511381-5859
Department:	Materials Management	Email ID:	satish.alugolu@nic.in
Organisation Name:	Western Coalfields Ltd	GSTIN:	27AAACW1578L1ZW
Office Zone:	Western Coalfields Limited / Nagpur	Address:	WCL Hqrs, Coal Estate, Civil Lines, NAGPUR, MAHARASHTRA-440001, India

Financial Approval Detail		Paying Authority Details	
IFD Concurrence:	Yes	Payment Mode:	Offline
Designation of Administrative Approval:	DT P& P	Designation:	Dy Manager Fin
Designation of Financial Approval:	GM Finance	Email ID:	sprathi@westerncoal.gov.in
		GSTIN:	27AAACW1578L1ZW
		Address:	WCL Hqrs, Coal Estate, Civil Lines, NAGPUR CITY, MAHARASHTRA-440001, India

Seller Details	
GeM Seller ID:	F565180000096867
Company Name:	PROGILITY TECHNOLOGIES PRIVATE LIMITED
Contact No.:	09987039854
Email ID:	sanjeev.bhandarkar@progilitytech.com
Address:	601, 6th Floor, 247 Park, Tower B, L B S Marg, Vikhroli (W), Mumbai, Maharashtra-400083, -
MSME verified:	No
GSTIN:	07AAKCS5375F2Z1 , 27AAKCS5375F1Z0 , 27AAKCS5375F1Z0 , 29AAKCS5375F1ZW

*GST / Tax invoice to be raised in the name of - Consignee

Product Details							
#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	Product Name : Uniline 2.0 KVA UPS Brand : Uniline Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM verified Reseller	Online Ups-IS:9000	Greenline-2000-6400-CB	HSN not specified by seller	11	pieces	797,434
2	Product Name : SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs. Brand : SECURENET Brand Type : Registered Brand Catalogue Status : Catalogue not verified by OEM Selling As : Reseller not verified by OEM	CAT 6 Cable for Indoor use	SecurNet UTP CAT6	HSN not specified by seller	1,800	meter	21,492
3	Product Name : Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch Brand : Securus Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM verified Reseller	Layer 2 Access Switch	SS-N08EP-G2	HSN not specified by seller	11	pieces	69,498
4	Product Name : Polycom 1+5 Multiparty Full HD Video Conferencing End Point Brand : Polycom Brand Type : Registered Brand Catalogue Status : Catalogue not verified by OEM Selling As : OEM verified Reseller	Video Conferencing End Point	Polycom Group 500 with EE L Camera	HSN not specified by seller	13	pieces	8,343,153

Total Order Value (in INR) **9,231,577**

Consignee Detail							
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By	
					06-Aug-		

1	Designation: - Email ID: ujawal.rane@nic.in Contact: 07173-254042- GSTIN: 27AAACW1578L1ZW Address: Regional Stores, WCL Ballarpur Area PO Sasti Distt Chandrapur (M.S) Pin 442 706, Chandrapur, MAHARASHTRA-442706, India	Uniline 2.0 KVA UPS	-	1	2021	04-Nov-2021
		SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	180	06-Aug-2021	04-Nov-2021
		Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	1	06-Aug-2021	04-Nov-2021
2	Designation: - Email ID: ss.mangare@nic.in Contact: 07175-285019- GSTIN: 27AAACW1578L1ZW Address: Regional Stores, WCL New Majri, P.O. Shivaji Nagar Distt Chandrapur, CHANDRAPUR, MAHARASHTRA-442503, India	Uniline 2.0 KVA UPS	-	1	06-Aug-2021	04-Nov-2021
		SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	180	06-Aug-2021	04-Nov-2021
		Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	1	06-Aug-2021	04-Nov-2021
3	Designation: - Email ID: asaari.mahender@nic.in Contact: -9618810882- GSTIN: - Address: Regional Stores, WCL P.O. GHUGUS COLLIERY Distt Chandrapur, M.S ; Pin 442 505, CHANDRAPUR, MAHARASHTRA-442505, India	Uniline 2.0 KVA UPS	-	1	06-Aug-2021	04-Nov-2021
		SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	180	06-Aug-2021	04-Nov-2021
		Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	1	06-Aug-2021	04-Nov-2021
4	Designation: - Email ID: ulli.srikanthganesh@nic.in Contact: - GSTIN: - Address: Regional Stores, WCL, Durgapur Opencast, P.O. DURGAPUR Distt Chandrapur, (M.S)Pin 442 403, CHANDRAPUR, MAHARASHTRA-442403, India	Uniline 2.0 KVA UPS	-	1	06-Aug-2021	04-Nov-2021
		SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	180	06-Aug-2021	04-Nov-2021
		Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	1	06-Aug-2021	04-Nov-2021
5	Designation: - Email ID: abhimanue.katoch@nic.in Contact: 75875-95227- GSTIN: 23AAACW1578L1Z4 Address: Regional Stores,WCL Kanhan Area, P.O Dongaria Distt Chhindwara, M.P. Pin 480551 GSTN: 23AAACW1578L1Z4, CHHINDWARA, MADHYA PRADESH-480551, India	Uniline 2.0 KVA UPS	-	1	06-Aug-2021	04-Nov-2021
		SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	180	06-Aug-2021	04-Nov-2021
		Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	1	06-Aug-2021	04-Nov-2021
6	Designation: - Email ID: akpandey989@westerncoal.gov.in Contact: -8989117973- GSTIN: 23AAACW1578L1Z4 Address: Regional Stores, WCL Pench Area P.O CHANDAMETA Distt. Chhindwara, M.P 480447 GSTN: 23AAACW1578L1Z4, CHHINDWARA, MADHYA PRADESH-480447, India	Uniline 2.0 KVA UPS	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	1	06-Aug-2021	04-Nov-2021
7	Designation: - Email ID: kskattimani@westerncoal.gov.in Contact: 7146-271363- GSTIN: 23AAACW1578L1Z4 Address: Regional Stores, WCL, Durgapur Opencast, P.O. DURGAPUR Distt Chandrapur, (M.S)Pin 442 403, CHANDRAPUR, MAHARASHTRA-442403, India	Uniline 2.0 KVA UPS	-	1	06-Aug-2021	04-Nov-2021
		SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	180	06-Aug-2021	04-Nov-2021
		Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	1	06-Aug-2021	04-Nov-2021
8	Designation: - Email ID: npurshottam@westerncoal.gov.in Contact: 0712-2510825- GSTIN: 27AAACW1578L1ZW Address: WCL Hqrs, Coal Estate, Civil Lines, NAGPUR, MAHARASHTRA-440001, India	Uniline 2.0 KVA UPS	-	1	06-Aug-2021	04-Nov-2021
		Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	3	06-Aug-2021	04-Nov-2021
	Designation: - Email ID: akpandey989.wcl@nic.in	SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	180	06-Aug-2021	04-Nov-2021

9	Contact: -6260565123- GSTIN: 23AAACW1578L1Z4 Address: Regional Stores, WCL Pench Area P.O CHANDAMETA Distt. Chhindwara, M.P 480447 GSTN: 23AAACW1578L1Z4, CHHINDWARA, MADHYA PRADESH-480447, India	Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
10	Designation: - Email ID: shshaik@coalindia.in Contact: - GSTIN: N Address: Regional Stores, WCL P.O. Umrer Project Dist. Nagpur M.S. Pin 441204, NAGPUR, MAHARASHTRA-441204, India	Uniline 2.0 KVA UPS	-	1	06-Aug-2021	04-Nov-2021
		SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	180	06-Aug-2021	04-Nov-2021
		Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	1	06-Aug-2021	04-Nov-2021
11	Designation: - Email ID: rahul.amane@nic.in Contact: 07116-247181- GSTIN: 27AAACW1578L1ZW Address: Regional Stores, WCL PO SILEWARA COLLIERY Dist. Nagpur M.S.; Pin 441 109, NAGPUR, MAHARASHTRA-441109, India	Uniline 2.0 KVA UPS	-	1	06-Aug-2021	04-Nov-2021
		SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	180	06-Aug-2021	04-Nov-2021
		Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	1	06-Aug-2021	04-Nov-2021
12	Designation: - Email ID: mr.patil3485@nic.in Contact: 07239-241341- GSTIN: 27AAACW1578L1ZW Address: Regional Stores, WCL Wani North Area , PO UKNI, Tahsil WANI Dist Yavatmal (MS)Pin 445 304, YAVATMAL, MAHARASHTRA-445304, India	Uniline 2.0 KVA UPS	-	1	06-Aug-2021	04-Nov-2021
		SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	180	06-Aug-2021	04-Nov-2021
		Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch	-	1	06-Aug-2021	04-Nov-2021
		Polycom 1+5 Multiparty Full HD Video Conferencing End Point	-	1	06-Aug-2021	04-Nov-2021

Product Specification for Uniline 2.0 KVA UPS

Specification	Sub-Spec	Value
Generic	Rating in KVA (KVA)	2.0 KVA
	Technology	MOSFET-PWM with inbuilt isolation transformer
	Input Power	single phase 160V - 260V sinewave,50Hz
	Output power	Single phase 230V +/-1% sinewave 50 Hz
	Backup time (Minutes)	120
	Minimum VAH (VAH)	6400
	Warranty for UPS (Years)	3
	Movable trolley for Batteries	Without trolley but with rack
	Warranty for battery	2
	Degree of Protection	IP21
	Cabling 5 meters for input and out put	With
	Paralleling kit for synchronising	With
	Installation and Commissioning	Yes
Constructional	Minimum thickness of M.S.Sheet Enclosure duly painted (mm)	1.2
	Type of Battery	SMF-VRLA conforming to JISC:8702(Pt.I,II&III)
Functional	Maximum overshoot and Under shoot of output rated voltage	4
	Voltage Regulation from no load to full load (%)	< / = 3%
	20% Overload limit for minimum 10 minutes	Yes
	Overall Efficiency (%)	>/=90%
	Total Harmonic Distortion(THD) (%)	Maximum 3%

	50% Overload limit for minimum 1 minutes	Yes
Protection	Protection for under voltage at battery terminal at 10.5V per 12 V battery	Yes
	Protection of Over voltage,Short Circuit & over load at UPS output terminal	Yes
Metering And Indications	Digital Metering in UPS for AC Input Voltage,Output AC Voltage,Current,Frequency,Battery Voltage and Current	Yes
	Indicators for mains presence,Battery charging and discharging,Output Over Load, Low Battery Voltage	Yes
Reports And Certification	Damp Heat : in accordance with IS:9000(part 5/sec.2)1981 at Temperature of 40 degree C,two cycles of (12+12) hours each 2007)	Yes
	Dry Heat Test : in accordance with IS:9000 (part 3/sec.5)1977 (reaffirmed 2007) at 55 degree C for 16 hrs	Yes
	Cold Test : in accordance with IS:9000 (Part 2/Sec.4)1977 (Reaffirmed 2007) at -10 degree C for 4 hrs.	Yes
	Availability of the Type Test Report from Central Govt. /NABL/ILAC Accredited lab covering all technical requirements.	Yes
	Type Test Certificate No.	ETDC/AMB/2965
	Type Test Certificate date	27.01.2009
	Name of Lab	ETDC
	Address of Lab	AMBALA CANTT.-133001
	As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes

Product Specification for SECURENET Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.

Specification	Sub-Spec	Value
GENERIC	Cate 6 cable conforming to ANSI/TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest	Yes
	Cable category: Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair or Category 6 Shielded /Foiled Twisted Pair	CAT6 U/UTP
	Cable colour	Grey
	Conductor diameter	0.57 mm (23 AWG)
	Conductor count (in Nos.,)	8
	Length of cable in a bundle (Mtrs)	305 mtrs.
CONSTRUCTIONAL	"CAT6 Cable can transmit data at 1000 Mbps (~1 Gigabit per second) with a frequency of 250 MHz and suitable for 10BASE-T, 100BASE-TX Fast Ethernet and 1000BASE-T / 1000BASE-TX (Gigabit Ethernet)."	Yes
	Maximum DC resistance - in Ohm/Km	Max. 100 Ohm/Km
	Conductor Materail	Bare Copper
	Conductor Insulation Material	Polyethylene
	Cable jacket material	Low Smoke zero halogen (LSZH)
	Conductor stranding	Solid
	Cable should have internal cross separator	Yes
	Storage temperature range	minus 20 degree C to plus 60 degree C
	Operating temperature range	minus 20 degree C to plus 60 degree C
	Each meter printed with sequential length counter of cable apart from marking requirement as per relevant specifications and certifications	Yes
CERTIFICATIONS	Category 6 cable shall have valid verified certificate from ERTL/ETL /Intertek/3P /GHMT /Delta/UL as per CAT 6 standards ANSI//TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest	Yes
	If "Yes" Certificate Number - Must declare	E-495703
	UL Marking on Cable	Yes
	Availability of complete and satisfactory type test Report from Central Government / NABL/ ILAC accredited laboratory to conformity of the Specification	Yes
	Test report Number	17OR11946124
	Report date	22.09.2017

Name and address of Lab	ULIPL,Bangalore
All the test reports and certificates shall furnish to the buyer/consignee on demand	Yes

Product Specification for Securus 8 Ports UnManaged PoE+ Layer 2 Access Switch

Specification	Sub-Spec	Value
Specification	Type of Switch	UnManaged
	Technology	PoE+
	Number of 1G Copper Ports	8
	Number of 10G Copper Ports	0
	No. of 1 G SFP Port (Uplink)	0
	No. of 10 G SFP+ Port (Uplink)	0
	Multi-Gigabit Support	No
	Redundant Power supply (from day one)	Not available
	Console Port	Not Available
	Switching Capacity -Non Blocking (Gbps)	52
	Throughput (MPPS)	100
	Operating System	available
	Dedicated Stacking Port/Slot (from day one)	Supported
	Stacking Bandwidth (Gbps)	1
	Basic Layer-3 Protocol	RIPv1
	Security Feature	802.11
	Management Protocol	GUI
	QoS	802.1P
	Operating Temperature Range (Degree C)	59
	Operating Humidity (RH)(%)	95
IPv6 Ready from day one and dully certified	Yes	
PoE Power Budget (Watt)	240	
on Site OEM Warranty	3	

Product Specification for Polycom 1+5 Multiparty Full HD Video Conferencing End Point

Specification	Sub-Spec	Value
	Type of End Point	1+5 Multiparty Full HD
	Does it require mandatory registration with MCU	NA
	Video Conferencing System Resolution	1080p, 60 fps
	Minimum Bandwidth Required for Specified video quality at End point/far-site end (Kbps)	2048
	Type of Camera	PTZ
	Camera Positioning System	Preset
	Type of sensor	CMOS
	Camera Control (focusing, brightness, and white balance)	Automatic
	Multiple Camera System in case of Automatic Voice activated CameraTracking	NA
	Optical zoom	12X
	Digital zoom	NA
	Field of View at zoom (Degree)	70
	Pan range Minimum to Maximum (+/- Degree)	170,-170

Specification

Tilt Range (Degree)	-30,90
Cord and Connector to be supplied	Yes
System delivers Full HD video and voice & Full HD content for an overall Full HD experience at specified bandwidth	Yes
Video coding support Protocol	H.263,H.264AVC,H.264SVC,H.264 High Profile
System has G-722/ G-711/ G-729 or equivalent nt wideband audio coding support	Yes
System supports sharing of video and graphics content during the video call	1080p, 30fps
It is possible to see both the near and far site on one Screen thus making most efficient use of a single display area	Yes
System is equipped with one or more Omni directional High Definition Microphones as required to cover large conference room	Yes
Number of microphone supported	4
Number of microphone supplied	1
Number of camera support from the same OEM	1
Number of Ethernet connection points for System supports for RJ-45, 10/100/1000 Mbps Base-T Ethernet connection	1
Wi Fi Connectivity	No
If Yes, Type of Wi Fi Connectivity	NA
System supports AES encryption video calls; System has Encryption On and Off capability	Yes
Video Codec shall support 16:9 format	Yes
Power supply: 230 + or - 10% volts, 50 Hz	Yes
Shall come with easy to use infra-red hand held remote control / Touch Panel with operating distance	Yes
All equipment are in compliance with the requirements of ITU-T (SIP Protocol & H Dot 323) Standard related to Video Conferencing	Yes
System to be IPv6 ready from day one	Yes
System uses standards based protocols & the offered system is inter operable with any existing H-323 AVC/SVC based VC equipment in a P to P call on VC end point; All H/W and S/W required to make it interoperable is included in the scope of supply	Yes
Number of Input DVI Ports	0
Number of Input HDMI or equivalent Ports	2
Number of Input USB Ports	1
Number of Output DVI Port	0
Number of Output HDMI or equivalent Port	2
Number of output USB Port	1
Calendering Feature	Yes
Recording @1080p on the end point	No
System supplied complete with the following components from the same OEM (a) Codec (b) Camera (c) At least one Microphones with suitable connectivity (d) Remote Control/Touch Panel (e) Data sharing capability using H/W or S/W (f) Necessary Cables	Yes
Type of Microphone	Omni Directional
System is also tropicalized and report available from ILAC/NABL/Govt Lab with all add on including Environmental Sequence	No
(a) Dry Heat- For 16 hrs at 55 deg C as per IS:9000/pt-3/sec-5/1977(b) Cold-For 4 hrs at 0 deg C as per IS:9000/pt-2/sec-4/1977 (c) Damp Heat- For 2 Cycles of 24 h each at 40 deg C & 95% RH as per IS:9000/pt-5/sec-1/1991 (All Reaffirmed 2007)	No
After each environmental test and a recovery period of two hours, the video conferencing system has been checked for complete functional parameters, and the results found satisfactory	No
Type Test Report from ILAC/NABL/Govt lab confirming conformance to above technical specifications - to be made available to buyer	No
BIS Registration under CRS of Meity	NA
BIS Registration Number and its Validity	-
UL/CE certification	Yes
If Yes, UL/CE certificate Number (Corresponding UL/CE Certificate to be furnished when demanded by the buyer)	JMBA-T0835

Minimum Operating temperature (Degree C)	0
Maximum Operating Temperature (Degree C)	40
Minimum Operating humidity (%RH)	15
Maximum Operating humidity (%RH)	80
Free installation and commissioning	Yes
On Site OEM Warranty (Year)	3

Corrigendum

1. Extended Upto : 2020-12-04 16:00:00

Terms and Conditions

1. Special terms and conditions- Version:1 effective from 04-05-2020

1.1

Calculation of Minimum VAH based on Back up time

Minimum VAH requirements would be calculated on the basis of following:

(VAH Calculation: Battery Voltage x Battery Ah x No. of Batteries = VAH)

UPS Rating	15 Minutes	30 Minutes	60 Minutes	90 Minutes	120 Minutes	180 Minutes	240 Minutes
1 KVA	400 VAH	800 VAH	1600 VAH	2400 VAH	3200 VAH	4800 VAH	6400 VAH
2 KVA	800 VAH	1600 VAH	3200 VAH	4800 VAH	6400 VAH	9600 VAH	12800 VAH
3 KVA	1200 VAH	2400 VAH	4800 VAH	7200VAH	9600 VAH	14400 VAH	19200 VAH
5 KVA	2000 VAH	4000 VAH	8000 VAH	12000 VAH	16000 VAH	24000 VAH	32000 VAH
6 KVA	2400 VAH	4800 VAH	9600 VAH	14400 VAH	19200 VAH	28800 VAH	38400 VAH
7.5 KVA	3000 VAH	6000 VAH	12000 VAH	18000 VAH	24000 VAH	36000 VAH	48000 VAH
10 KVA	4000 VAH	8000 VAH	16000 VAH	24000 VAH	32000 VAH	48000 VAH	64000 VAH
15 KVA	6000 VAH	12000 VAH	24000 VAH	36000 VAH	48000 VAH	72000 VAH	96000 VAH
20 KVA	8000 VAH	16000 VAH	32000 VAH	48000 VAH	64000 VAH	96000 VAH	128000 VAH
30 KVA	12000 VAH	24000 VAH	48000 VAH	72000 VAH	96000 VAH	144000 VAH	192000 VAH
40 KVA	16000 VAH	32000 VAH	64000 VAH	96000 VAH	128000 VAH	192000 VAH	256000 VAH
60 KVA	24000 VAH	48000 VAH	96000 VAH	144000 VAH	192000 VAH	288000 VAH	384000 VAH
80 KVA	32000 VAH	64000 VAH	128000 VAH	192000 VAH	256000 VAH	384000 VAH	512000 VAH
100 KVA	40000 VAH	80000 VAH	160000 VAH	240000 VAH	320000 VAH	480000 VAH	640000 VAH

2. General Terms and Conditions-

2.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

2.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.

2.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.

2.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

2.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

2.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

2.6 Octroi Duty and / or other local taxes:Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

2.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

2.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

2.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

2.10 Financial Certificate:

2.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

2.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

2.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

2.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

3. Additional Terms and conditions-

3.1 Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3.2 Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

3.3 Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.4 Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

3.5 To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): Media Encryption-AES-256 Security:SSL,TLS&PKI Certificate Mgmt Audio Stds:G.719,G.728 & Video Stds:H.264,H.264 HP/H.265. 1 x Microphone I/p or more with support for min 4 mics OEM should be in the Leader Quadrant of Gartner for Group Video Systems in any of the year from 2015. The Bidder should have service facility at Nagpur for support VC device should interoperate with Cisco MCU 5320 and Lifesize UCV 3380 . OEM authorization is required only for VC end points& UPS.

3.6 Bidders can also submit the EMD with Account Payee Demand Draft in favour of WESTERN COALFIELDS LIMITED payable at NAGPUR. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3.7 Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of WESTERN COALFIELDS LIMITED payable at NAGPUR. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

3.8 Indian suppliers of this item are not allowed to participate and/ or compete in procurement by some foreign governments. Bidders / products from such countries are not eligible / not allowed to participate in this bid in terms of clause 1 (d) of Public Procurement (Preference to Make in India) Order, 2017

3.9 The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price: Casing for laying of CAT 6 cable 1500 metres

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.