



WESTERN COALFIELDS LIMITED

MAJRI AREA

TELWASA OPENCAST

COAL MINE

SIX MONTHLY
EC COMPLIANCE REPORT

AS ON 30th September 2022

PART - V

Clearance letter No.

: J-11015/323/2008-IA.II (M)

Date

: 3rd May 2012

1	SPECIFIC CONDITIONS	
Sl.No	Conditions	Compliance
i.	The embankment constructed along the river boundary shall be of suitable dimensions and stabilized with plantation & with stone pitching on the river front side in critical patches so as to withstand the peak water flow & prevent mine inundation.	An earthen embankment of 30 m width at top & about 60-70 m width at bottom has been constructed around quarry having length about 4,500 m & average height 6 m above HFL (190 m) of Wardha River
ii.	There shall be no overflow of OB in to the river & in to the agricultural fields & massive plantation of native species shall be taken up in the area between the river & the project.	Necessary steps has been taken to check the overflow of OB into the river & into the agricultural field like grass turfing on slope of embankment, making of wall of sand bags at the toe of embankment etc
iii.	OB shall be stacked at two earmarked external OB dumpsite(s) only. The ultimate slope of the dump shall not exceed 28°. Monitoring & management of existing reclaimed dumpsites shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests & its Regional Office, located at Bhopal on yearly basis.	<p>OB has been stacked at the earmarked dump site(s) only. The location of the OB dump has been shown in the enclosed plan. The dead dump will be taken up for technical reclamation wherein proper terracing will be done so that the overall slope comes within the permissible limit. In the mean time plantation has been done over some portion of the embankment for reclamation & this portion has became fully vegetated. No further OB shall be dumped in near future. The plantation done on OB are given below:-</p> <p>28,500 nos. on OB & 9615 nos. on backfilled area. The issue was raised during the inspection of MOEF Official & as directed vide letter no.J-11015/ 83/2005.IA.II (M) dt.16.10.06, the compliance is as under:-</p> <p>Telwasa Open Cast Coal Mine is having only one external OB dump, Biological reclamation will be taken up in coming years under mine closure activities.</p>
iv.	Catch drains siltation ponds of appropriate size shall be constructed to arrest silt & sediment flows from soil, OB & mineral dumps. The water so collected shall be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly desilted and maintained properly. Garland drains (size, gradient & length) and sump capacity should be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention	<p>The issue was raised during the inspection of MOEF Official & as directed vide letter no.J-11015/83/2005.IA.II(M) dt.16.10.2006, the compliance submitted was as under:-</p> <p>At present, catch drains & siltation ponds are not required around the external dump, as entire quantity of rain water along with silt & sediments from the dump is naturally, partly diverted to the de-coaled quarry of Dhorwasa Open Cast Coal Mine & balance into de-</p>


	period to allow proper settling of silt material.	coaled quarry of Telwasa OC. They are not mixing with surface water courses. This arrangement is working satisfactorily as first stage sedimentation pond. The quarry is de-silted every year in dry season. The supernatant water is pumped out on surface & fed into surface sedimentation pond for treatment. After treatment, water is used for dust suppression in mine area, roads & also for plantation.
v	Dimensions of the retaining wall at the toe of dumps and OB benches within the mine to checkup run-off and siltation shall be based on the rainfall data.	The issue was raised during the inspection of MOEF Official & as directed vide letter no. J-11015/83/2005.IA.II (M) dt.16.10.2006, the compliance is as here:- Since silt & sediments are naturally diverted to the sedimentation pond made out of Telwasa Open Cast Coal Mine & Dhorwasa OC mine de-coaled area, therefore, construction of retaining wall at the toe of OB dumps & benches is not required. The same is subsequently diverted to the surface sedimentation tank.
vi	Crushers at the CHP of adequate capacity for the expansion project shall be operated with high efficiency bag filters, water sprinkling system shall be provided to check fugitive emission from crushing operations, conveyor system, haulage roads, transfer points etc.	The issue was raised during the inspection of MOEF Official & as directed vide letter no. J-11015/83/2005.IA.II(M) dt.16.10.2006. However, the mine is closed now and there is no mining activity and coal crushing activity is being done. No fugitive emission is generated due to any mining activity
vii	Drills shall be wet operated.	Mine is closed now as mine reserves are exhausted
viii	The project authorities shall undertake regular repairing & tarring of roads used for mineral transportation. A 3- tier green belt comprising of mix of native species shall be developed all along the major approach roads.	Regular repairing & tarring of roads used for coal transportation is being done. A thick green belt comprising of native species has already been developed along the major approach roads.
ix	Controlled blasting shall be practiced with the use of delay detonators and only during day time. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders shall be implemented.	Mine is closed now as mine reserves are exhausted
x	A Progressive afforestation plan shall be implemented covering an area of 91.29 ha, which includes reclaimed external OB dump area (30.29 ha), backfilled quarry (30 ha), along roads & infrastructure (4.50 ha), rationalization of mine boundary area & blasting area (26.5 ha) & in township located outside the lease by planting native species in consultation with the local DFO/ Agriculture Department. The density of the trees shall be around 2500 plants per Ha. Massive plantation shall be carried out in open spaces in and around the mine & avenue plantation along the main approach roads to the mine.	28,500 nos. of plants has been planted on OB dumps/ embankments, 9,615 nos. on backfilled area and 51,500 nos. of plants has been planted in other areas. The species of plantation done are Karanj, Kini, Sirus, Arjun, Gulmohur, Peltophorum etc. Total 64,615 plants have been planted in mine lease area. The density is @ 2500 plants/Ha.

xi	Of the total quarry area of 87.25 ha, 30 ha shall be backfilled & reclaimed with plantation, & 28.25 ha shall be left undisturbed & the balance 29. Ha of the decoaled void shall converted into a water body at the post mining stage, the upper benches of which shall be gently sloped & the upper benches shall be terraced & stabilized with plantation/afforestation by planting native plant species in consultation with the local DFO/ Agriculture Department. The density of the trees shall be around 2500 plants per Ha.	Backfilling is in progress and condition shall be complied. However, 28,500 nos. of plants has been planted on OB dumps/embankments, 9,615 nos. on backfilled area and 51,500 nos. of plants has been planted in other areas. The species of plantation done are Karanj, Kini, Sirus, Arjun, Gulmohur, Peltophorum etc. Total 64,615 plants have been planted in mine lease area. The density is @ 2500 plants/Ha.
xii	No groundwater shall be used for mining operations.	No groundwater is being used for mining operations.
xiii	Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and construction of new piezometers. The monitoring for water levels should be done at least four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected should be submitted to the Ministry of Environment & Forests and the Central Ground Water Board, Regional Office quarterly within one month of monitoring.	Well water monitoring for assessing the ground water level in the villages of buffer zone is being carried out through M/s Ecomen Laboratories Pvt. Ltd., Lucknow. <i>Report of the period December 2019 to July 2021 monitoring has been submitted to your good office vide our letter no. WCL/MA/AGM/ENV/2021/263 dated 16.11.2021 through e.mail dated 18.11.2021</i>
xiv	The company shall put up artificial groundwater recharge measures for augmentation of groundwater resources. The project authorities should meet water requirement of nearby village (s) in case the village wells go dry due to de-watering of the mine.	Arrangement has been made for artificial ground water recharge measures & adopted rain water harvesting for various infrastructure, buildings. The project will provide drinking water to the nearby villages in case of village wells go dried due to dewatering of the mine. At present there is no such case.
xv	ETP shall also be provided for workshop & CHP wastewater.	Mine is closed now as mine reserves are exhausted, hence workshop ETP is not operational as there is no mining activity
xvi	Besides carrying out regular periodic health checkup of their workers, 10% of the workers identified from work force engaged in active mining operation shall be subjected to health checkup for occupational diseases and hearing impairment, if any, through an specialized agency/institution within the District/State & the results reported to this Ministry & to DGMS.	Mine is closed and there is no mining activity and none of the worker is engaged in any dusty working condition
xvii	For monitoring land use pattern and for post mining land use, a time series of land use maps, based on satellite imagery (on a scale of 1:5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in 5 years (for any one particular season which is consistent in the time series), and the report submitted to MOEF and its Regional Office at Bhopal.	Land Use Pattern has been monitored every 3 years by CMPDIL. Last monitoring has been done during the year 2020. Report of the same is uploaded on WCL website.
xviii	A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment and Forest within 6 months of grant of Environmental Clearance for approval.	Final Mine Closure Plan submitted vide letter no. WCL/ENV/HQ/22-Q/78 dated 08.02.2013. During FY 2021-22, an amount of Rs 0.00 has been deposited in Escrow account (A/c no. 08973161009873 (Renewed)). Progressive Mine

		closure claim of Rs 15.96 crores for the period 2012-13 to 2016-17 is reimbursed. Balance as on 31.03.2022 is Rs 18,83,42,854.60
xix	Land oustees shall be compensated as per the norms laid out R&R Policy of CIL or the National R&R Policy or R&R Policy of the State Government whichever is higher.	Land oustees were compensated as per the norms laid out R&R Policy of CIL.
xx	The project authorities shall in consultation with the Panchayats of the local villages & administration identify socio-economic & welfare measures under CSR to be carried out over the balance life of the mine.	CSR action plan is prepared with the consultation of Panchayats of the local villages & is being implemented.
xxi	Corporate Environment responsibility :	
a	The company shall have a well laid down Environment Policy approved by the Board of Directors.	The company has a well laid down Environment Policy approved by the Board of Directors.
b	The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/ deviation/violation of the environmental or forest norms/conditions.	The Environment Policy prescribes for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions.
c	The hierarchical system or Administrative Order of the company to deal with environmental issues & for ensuring compliance with the environmental clearance conditions shall be furnished.	The hierarchical system or Administrative Order of the company to deal with environmental issues & for ensuring compliance with the environmental clearance conditions is clearly defined in the environmental policy of the company.
d	To have proper checks & balances, the company shall have a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.	The company has a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.
2	GENERAL CONDITIONS	
Sl. No	Condition	Compliance
i.	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.	Noted.
ii.	No change in the calendar plan including excavation, quantum of mineral coal & waste shall be made.	Noted.
iii.	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM ₁₀ , PM _{2.5} , SO ₂ , NO _x monitoring. Location of the stations shall be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board.	The ambient air quality monitoring at present is being carried out at four stations in core and buffer zone which are as follows:- 1.Telwasa Security Office, 2.SAM Office, 3.Chargaon village, 4. Ekta Nagar Colony. The monitoring reports for the period from April 2022 to July 2022 have

		been enclosed herewith.
iv.	Fugitive dust emission (PM ₁₀ & PM _{2.5}) from all the sources shall be controlled regularly monitored & data recorded properly. Water spraying arrangements on haul roads, wagon loading, dump trucks (loading & unloading points) shall be provided & maintained.	Mine is closed now as mine reserves are exhausted and there is no fugitive emission due to any mining activity such as coal transportation roads, loading unloading of coal in trucks etc.
v.	Data on ambient air quality, (PM ₁₀ , PM _{2.5} , SO ₂ , NO _x) shall be regularly submitted to the Ministry including its Regional Office at Bhopal and to the State Pollution Control Board & the Central Pollution Control Board once in six months.	Reports on ambient air quality are being submitted to MPCB Chandrapur quarterly. The same is also submitted to MOEF, Regional Office, Nagpur along with six monthly report.
vi.	Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operations of HEMM, etc should be provided with ear plugs/muffs.	Adequate measures namely proper maintenance of HEMM and controlled blasting when the mine was in operation so as to control noise levels below 85 dB(A). Now the mine is closed and there is no mining activity is being undertaken hence no noise generating activity take place
vii.	Industrial waste water (workshop and waste water from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422(E) dated 19 th May 1993 and 31 st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	Mine is closed now as mine reserves are exhausted and there is no mining activity. However, mine water is collected in the sump in the quarry itself where first stage settlement is done.
viii.	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	All the light vehicles namely jeep & trucks etc. are having valid PUC certificate for vehicular emission through RTO approved agency. Further, it may be mentioned here that the ambient air quality monitoring in and around the mine site is regularly carried out. Vehicles used for transportation of coal are covered with tarpaulin & optimally loaded as per the carrying capacity.
ix.	Environmental laboratory shall be established with adequate number & type of pollution monitoring & analysis equipments in consultation with the State Pollution Control Board	A full-fledged Environmental laboratory under CMPDIL exists at Nagpur, which monitors all the mines of WCL.
x.	Personnel working in dusty areas should wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects. Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed & records maintained thereof.	Mine is closed now as mine reserves are exhausted. None of the worker is engaged in any dusty working condition
xi.	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the Company.	Environment Cell exists at HQ, Area, & project level. GM (Environment) of HQ directly reports to the head of the Organization.

xii	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to this Ministry and its concerned Regional Office.	Funds have been earmarked for environment protection measures and is kept in separate account and is not diverted for other purpose.
xiii	The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data/information/ monitoring reports.	Agreed.
xiv	A copy of the clearance letter shall be marked to concerned Panchayat/ Local NGO if any, from whom any suggestions/ representation has been received while processing the proposal.	A copy of clearance letter given to concerned Panchayats vide letter no.WCL/MA/SAM/43 dated 12.05.2012.
xv	State Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industry Sector and Collector's Office/ Tahasildar's Office for 30 days.	Complied.
xvi	The project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in vernacular language of the locality concerned within seven days of issue of the clearance letter informing that the project has been according environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at web site of the Ministry of Environment & Forests at http://envfor.nic.in .	Complied. Advertisement given in following 2 Newspapers :- 1. The Hitwada (English) dated 21.05.2012 2. Mahavidharbha (Marathi) dated 21.05.2012
3	The ministry or any other competent authority may stipulate any further condition for environment protection.	Noted.
4	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract the provisions of the Environment (Protection) Act, 1986.	Noted.
5	The above conditions will be enforced, <i>inter-alia</i> , under the provisions of the Water (Prevention & Control of Pollution) Act. 1974, the Air (Prevention & Control of Pollution) Act. 1981, the Environment (Protection) Act 1986 and the Public Liability Insurance Act 1991 along with their amendments and rules. The proponent shall ensure to provide for the costs incurred for taking up remedial measures in case of soil contamination, contamination of groundwater and surface water and occupational and other diseases due to the mining operations.	Noted.


 Sub Area Manager
 Telwasa Opencast Project
 Majri Area,
 Western Coalfields Limited