

No.J-11015/341/2008-1A II(M)
Government of India
Ministry of Environment & Forests

Parvavaran Bhawan,
C G O Complex,
New Delhi -110010

Dated. 15th July 2009

To
M/s Western Coalfields Ltd.,
Coal Estate, Civil Lines,
NAGPUR - 400001

Sub: Adasa Underground Coal Mine Expansion Project (expansion from 0.21 MTPA to 0.50 MTPA of M/s Western Coalfields Ltd. (WCL), located near village Katadi, Tehsil Saoner, District Nagpur, Maharashtra - environmental clearance - reg.

Sir,

This has reference to letter No. 43011/160/2007-C PAM dated 29.07.2008 of Ministry of Coal forwarding your application for TOR, which was granted vide MOEF letter dated 11.11.2008 and your application for environmental clearance dated 16.04.2009 and subsequent letters dated 21.05.2009, 13.06.2009 and 08.07.2009 on the above-mentioned subject. The Ministry of Environment & Forests has considered your application. It is noted that the application is for seeking environmental clearance under section 7 (ii) for expansion in production in the existing Adasa Underground Coal Mine Project from 0.21 million tonnes per annum (MTPA) to 0.50 MTPA with no change in lease area of 211 ha. It is further noted that EC was granted on 19.05.2000 for the project of 0.21 MTPA production capacity over the existing MI. area of 221 ha of which 206 ha is agricultural land and 15 ha is Government land. No forestland is involved. The project does not involve R&R. There are no National Parks, Wildlife Sanctuary, Biosphere Reserves found in the 15 km buffer zone. Of the total lease area of 221 ha, of which 15 ha includes rights for surface structures and mining rights for the entire 221 ha. The project does not involve modification of the natural drainage. Mining will be underground by Bord & Pillar method involving SIDI. The expansion project does not involve change in land requirement, mining technology, displacement, Mineral transportation of 1500 TPD of coal is by trolley from mine face to surface to CIIP located near the Incline mouth and by road to Saoner Railway siding a distance of 4 km. Ultimate working depth of the mine is 104m below ground level (bgl). Mining has intersected water table, which is in the range of 19.15-21.95m bgl during pre-monsoon and 12.15-18.1m during post-monsoon. Peak water requirement is 400m³/d, which is to be met from mine water discharge. Balance life of the mine at the proposed rated capacity is 4 years. Public Hearing was held on 13.05.1998 for 0.21 MTPA project. The project has been approved by M/s WCL on 12.05.2009. There is no additional capital investment for the expansion project. Original capital cost of the project is Rs. 35.8573 crores.

2. The Ministry of Environment & Forests hereby accords environmental clearance for the above-mentioned Adasa Underground Coalmine Expansion Project of M/s WCL for expansion in production of coal from 0.21 MTPA to 0.50 MTPA rated capacity involving a total lease area of 221ha under Section 7 (ii) of the Environmental Impact Assessment Notification, 2006 and subsequent amendments and Circulars thereto and subject to conditions specified below:

A. Specific Conditions

- (i) Regular monitoring of subsidence movement on the surface over and around the working area and impact on natural drainage pattern, water bodies, vegetation, structure, roads, and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence movement, appropriate effective corrective measures shall be

OS D (Env)

[Signature]

By COMS (Env) 2017/09

taken to avoid loss of life and material. Cracks shall be effectively plugged with ballast and clayey soil/suitable material.

- (ii) High root density tree species shall be selected and planted over areas likely to be affected by subsidence.
- (iii) Coal extraction shall also be optimised in areas where agricultural production is continuing. Some pillars shall be left below the agricultural land. No coal depillaring shall be undertaken below areas of habitation.
- (iv) Subsidence shall be monitored closely and if subsidence is found exceeding the permitted limits, then the landowners shall be adequately compensated with mutual agreement of the landowners.
- (v) Garland drains (size, gradient and length) around the safety areas such as mine shaft and low lying areas and sump capacity shall be designed keeping 50% safety margin over an above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. Sump capacity shall also be provided adequate retention period to allow proper settling of silt material.
- (vi) Water sprinkling system shall be provided to check fugitive emissions from loading operations, conveyor system, haulage roads, transfer points, etc. Mobile sprinklers shall be provided in major haul roads and with high levels of SPM/RSPM.
- (vii) Major approach roads shall be black topped and properly maintained. A 3-tier plantation shall be developed along all major roads, near CIIP, coal bunker, infrastructure. A mist spray water sprinkling system shall be installed at the CIIP and at transfer points
- (viii) Drills shall be wet operated only to avoid fugitive dust emissions.
- (ix) A progressive afforestation plan shall be prepared and implemented over the mine lease area and shall include areas under green belt development, areas along roads, infrastructure, along MI. boundary and township outside the lease area, etc. by planting native species in consultation with the local DFO/Agriculture Department. The density of the trees shall be around 2500 plants per ha.
- (x) Regular monitoring of groundwater level and quality shall be carried out by establishing a network of existing wells and construction of new piezometers. The monitoring for quantity shall be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected shall be submitted to the Ministry of Environment & Forests and to the Central Pollution Control Board quarterly within one month of monitoring.
- (xi) The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource in case monitoring of water table indicates a declining trend. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.
- (xii) Mine discharge water particularly H₂S shall be treated to conform to prescribed levels before discharge into the natural environment.
- (xiii) Besides carrying out regular periodic health check up of their workers, 10% of the workers identified from workforce engaged in active mining operations shall be subjected to health check up for occupational diseases and hearing impairment, if any, through an agency such as NIOH, Ahmedabad within a period of one year and the results reported to this Ministry and to DGMS.
- (xiv) For monitoring land use pattern and for post mining land use, a time series of landuse maps, based on satellite imagery (on a scale of 1: 5000) of the core zone and buffer zone, from the

start of the project until end of mine life shall be prepared once in 3 years (for any one particular season which is consistent in the time series), and the report submitted to MOEF and its Regional office at Bhopal.

- (xv) A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests within 6 months of grant of environmental clearance.
- (xvi) The project proponent shall undertake a socio-economic survey for identifying and taking up need based specific socio-economic activities/ programmes/ schemes, which are required in the area. Monitoring of the impacts of activities under CSR shall be carried out periodically. Educational centres shall be established in the area to create awareness and for organising workshops, etc.

B. General Conditions

- (i) No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.
- (ii) No change in the calendar plan including quantum of mineral coal and waste shall be made.
- (iii) Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring SPM, RSPM, SO₂ and NO_x. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, in SPM and RSPM etc. shall be carried out at least one in six months.
- (iv) Data on ambient air quality (SPM, RSPM, SO₂ and NO_x and heavy metals such as Hg, As, Ni, Cr, etc) shall be regularly submitted to the Ministry including its Regional Office at Bhopal and to the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognised under the EP Rules, 1986 shall be furnished as part of the compliance report.
- (v) Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.
- (vi) Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under CSR 422 (F) dated 19th May 1993 and 31st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.
- (vii) Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of the mineral shall be covered with tarpaulins and optimally loaded.
- (viii) Appropriate measures shall be taken to avoid hazards of fire and explosions due to methane gas.
- (ix) Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analysed through a laboratory recognised under EP Rules, 1986.
- (x) Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.

Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed.

- (xi) A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.
- (xii) The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhopal.
- (xiii) The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at the website of the ministry of Environment & Forests at <http://envfor.nic.in>.
- (xiv) A copy of the environmental clearance letter shall be marked to concerned Panchayat/ Zila Parishad/Municipal Corporation or Urban Local Body/ local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on the company's website.
- (xv) A copy of the clearance letter shall be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.
- (xvi) *Jmp* The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the MOEF, the respective Zonal offices of CPCB and the SI/CH. The compliance status of the stipulated EC conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in the public domain. The monitoring data of environmental quality parameters (air, water, noise and soil) shall also be displayed at the entrance of the project premises and mines office and in corporate office and on the company's website.
- (xvii) The Regional Office of this Ministry located at Bhopal shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.
- (xviii) *Jmp* The environmental statement for each financial year ending 31st March in Form-V is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MOEF by e-mail.

3. The Ministry or any other competent authority may stipulate any further condition for environmental protection.
4. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract the provisions of the Environment (Protection) Act, 1986.
5. The above conditions will be enforced *inter alia*, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules. The proponent shall ensure to undertake and provide for the costs incurred

for taking up remedial measures in case of soil contamination, contamination of groundwater and surface water, and occupational and other diseases due to the mining operations

(S)
Dr. I. Chandini

Director

Copy to:

1. Secretary Ministry of Coal, New Delhi
2. Secretary, Department of Environment, Government of Maharashtra, 15th Floor, New Admn. Bldg., Madam Cama Road, MUMBAI - 400032.
3. Chief Conservator of Forests, Regional office (LZ) Ministry of Environment & Forests, 1-2/240 Arear Colony Bhopal - 462016
4. Chairman, Maharashtra State Pollution Control Board, Kalpataru Point, 3rd & 4th Floors, Sion, Matunga Scheme Road No. 8, Opp Cine Planet Cinema, Near Sion Circle Sion (E) Mumbai - 400002.
5. Chairman, Central Pollution Control Board (CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110032
6. Member-Secretary, Central Ground Water Authority, Ministry of Water Resources, Curzon Road Barracks, A-2, W-3 Kasturba Gandhi Marg, New Delhi.
7. Shri M.K. Shukla, CGM, Coal India Limited, SCOPF Minar, Cons-I, 4th Floor, Vikas Marg, Jasminagar, New Delhi
8. District Collector, Nagpur, Government of Maharashtra.
9. Monitoring File 10. Guard File 11. Record File